

Contents of Volume 259

American Journal of Physiology

American Journal of Physiology:
Cell Physiology

American Journal of Physiology:
Endocrinology and Metabolism

American Journal of Physiology:
Gastrointestinal and Liver Physiology

American Journal of Physiology:
Lung Cellular and Molecular Physiology

American Journal of Physiology:
Heart and Circulatory Physiology

American Journal of Physiology:
Regulatory, Integrative and Comparative Physiology

American Journal of Physiology:
Renal, Fluid and Electrolyte Physiology

Advances in Physiology Education



American Journal of Physiology: Cell Physiology

No. 1. JULY 1990

EDITORIAL

Where do you think we're going?

D. J. Benos

C1

BRIEF REVIEW

Calcium channels, potassium channels, and voltage dependence of arterial smooth muscle tone

M. T. Nelson, J. B. Patlak, J. F. Worley, and N. B. Standen

C3

Effects of low extracellular Ca^{2+} on cytosolic free Ca^{2+} , Na^+ , and pH of MDCK cells

A. B. Borle, C. J. Borle, P. Dobransky, A. M. Gorecka-Tisera, C. Bender, and K. Swain

C19

Failure of glutamate dehydrogenase system to predict oxygenation state of human skeletal muscle

A. Katz, M. K. Spencer, and K. Sahlin

C26

Na^+ - K^+ - Cl^- cotransport in cultured cells derived from human retinal pigment epithelium

B. G. Kennedy

C29

H^+ and HCO_3^- flux across apical surface of rat distal colon

G. M. Feldman and R. L. Stephenson

C35

β -Adrenoceptor metabolism in wild-type, G_{ss} , and protein kinase A-variant S49 cells

J. R. Jasper, H. J. Motulsky, L. C. Mahan, and P. A. Insel

C41

Anionic amino acid transport systems in isolated basal plasma membrane of human placenta

S. D. Hoeltzli, L. K. Kelley, A. J. Moe, and C. H. Smith

C47

Ba^{2+} , TEA $^+$, and quinine effects on apical membrane K^+ conductance and maxi K^+ channels in gallbladder epithelium

Y. Segal and L. Reuss

C56

A23187 increases permeability of MDCK monolayers independent of phospholipase activation

M. W. Peterson and D. Gruenhaupt

C69

Calcium and the heat-shock response in the human monocytic line U-937

S. Kantengwa, A. M. Capponi, J. V. Bonventre, and B. S. Polla

C77

Uptake and metabolism of putrescine in confluent LLC-PK $_1$ cells

M. R. Hauser and J. S. Cook

C84

Muscle fiber formation and fiber hypertrophy during the onset of stretch-overload

S. E. Alway, W. J. Gonyea, and M. E. Davis

C92

Transepithelial acidification by cultures of rabbit proximal tubules grown on filters

S. M. Ford, P. D. Williams, S. Grassl, and P. D. Holohan

C103

Regulation of intracellular pH by cultured opossum kidney cells

M. H. Montrose and H. Murer

C110

Polarity and kinetics of Na^+ - H^+ exchange in cultured opossum kidney cells

M. H. Montrose and H. Murer

C121

Na^+ - H^+ and Na^+ -dependent Cl^- - HCO_3^- exchange control pH_i in vascular smooth muscle

A. M. Kahn, E. J. Cragoe, Jr., J. C. Allen, R. D. Halligan, and H. Shelat

C134

Morphological and functional characterization of the endosarcomeric elastic filament

G. Salvati, R. Betto, S. Ceoldo, and S. Pierobon-Bormioli

C144

Effects of substance P on $[\text{Ca}^{2+}]_i$ and force in intact guinea pig ileal smooth muscle

G. Matthijs, B. Himpens, T. L. Peeters, and G. Vantrappen

C150

| | |
|---|------|
| Synthesis of chromogranin A, dopamine- β -hydroxylase, and chromaffin vesicles <i>J. J. Corcoran and N. Kirshner</i> | C161 |
| Acidification and intracellular sodium ion activity during simulated myocardial ischemia <i>B. Vanheel, A. de Hemptinne, and I. Leusen</i> | C169 |

| | |
|----------------------|------|
| ANNOUNCEMENTS | C180 |
|----------------------|------|

No. 2. AUGUST 1990

INVITED REVIEW

| | |
|---|------|
| Basolateral K conductance: role in regulation of NaCl absorption and secretion <i>D. C. Dawson and N. W. Richards</i> | C181 |
| High-affinity paroxetine binding to the human placental serotonin transporter <i>D. R. Cool, F. H. Leibach, and V. Ganapathy</i> | C196 |
| Distribution of F-actin in bipolar and horizontal cells of bass retinas <i>D. K. Vaughan and E. M. Lasater</i> | C205 |
| Forskolin-induced HCO_3^- current across apical membrane of the frog corneal epithelium <i>O. A. Candia</i> | C215 |
| Elevated extracellular K^+ enhances arachidonic acid release in MDCK-D1 cells <i>M. J. Howard and P. A. Insel</i> | C224 |
| Stretch-induced prostaglandins and protein turnover in cultured skeletal muscle <i>H. H. Vandenburg, S. Hatfaludy, I. Sohar, and J. Shansky</i> | C232 |
| Decrease in Na^+/K^+ -ATPase associated with maturation of sheep reticulocytes <i>R. Blostein and E. Grafova</i> | C241 |
| Latch-bridge model in smooth muscle: $[\text{Ca}^{2+}]_i$ can quantitatively predict stress <i>C. M. Rembold and R. A. Murphy</i> | C251 |
| Substance P contracts bovine tracheal smooth muscle via activation of myosin light chain kinase <i>M. A. Corson, J. R. Sellers, R. S. Adelstein, and M. Schoenberg</i> | C258 |
| Sarcomere dynamics during isotonic velocity transients in single frog muscle fibers <i>H. L. M. Granzier, A. Mattiazzi, and G. H. Pollack</i> | C266 |
| Liver glucose transporter: a basolateral protein in hepatocytes and intestine and kidney cells <i>B. Thorens, Z.-Q. Cheng, D. Brown, and H. F. Lodish</i> | C279 |
| Differential localization of two glucose transporter isoforms in rat kidney <i>B. Thorens, H. F. Lodish, and D. Brown</i> | C286 |
| Apical membrane Cl^- channels in airway epithelia: anion selectivity and effect of an inhibitor <i>M. Li, J. D. McCann, and M. J. Welsh</i> | C295 |
| Energy dependence of sodium-calcium exchange in vascular smooth muscle cells <i>J. B. Smith and L. Smith</i> | C302 |
| Regulation of 5'-aminolevulinate synthase activity in overloaded skeletal muscle <i>D. A. Essig, J. M. Kennedy, and L. A. McNabney</i> | C310 |
| Peptide modulators of myosin light chain kinase affect smooth muscle cell contraction <i>G. J. Kargacin, M. Ikebe, and F. S. Fay</i> | C315 |
| Selective turnover of sarcolemmal phospholipids with lethal cardiac myocyte injury <i>Y. Miyazaki, R. W. Gross, B. E. Sobel, and J. E. Saffitz</i> | C325 |
| Nifedipine inhibits calcium-activated K transport in human erythrocytes <i>D. M. Kaji</i> | C332 |
| Muscarinic regulation of potassium transport in a human submandibular epithelial cell line <i>J. A. Ship, L. L. Patton, and R. B. Wellner</i> | C340 |
| Depression of force by phosphate in skinned skeletal muscle fibers of the frog <i>G. J. M. Stienen, M. C. M. Roosemalen, M. G. A. Wilson, and G. Elzinga</i> | C349 |

SPECIAL COMMUNICATIONS

A simple assay for agonist-regulated Cl and K conductances
in salt-secreting epithelial cells

C. J. Venglarik, R. J. Bridges, and R. A. Frizzell

C358

H⁺/base transport in principal cells characterized by confocal fluorescence imaging

X. Wang and I. Kurtz

C365

No. 3. SEPTEMBER 1990

INVITED REVIEW

Development and biological applications of chloride-sensitive fluorescent indicators

A. S. Verkman

C375

Neurons from neonatal hypertensive rats exhibit abnormal membrane properties in vitro

B. C. Jubelin and M. S. Kannan

C389

Uptake of biotin by native *Xenopus laevis* oocytes

H. M. Said, L. Polenzani, S. Khorchid, D. Hollander, and R. Miledi

C397

Effects of ouabain on background and voltage-dependent currents
in canine colonic myocytes

E. P. Burke and K. M. Sanders

C402

Influence of ATP turnover and metabolite changes on IMP formation and glycolysis
in rat skeletal muscle

K. Sahlin, J. Gorski, and L. Edström

C409

Chloride transport across the membrane of parotid secretory granules

K. W. Gasser and U. Hopfer

C413

Role of protein kinase C in renal vasoconstriction caused by angiotensin II

H. Scholz and A. Kurtz

C421

Increased secretion of erythropoietin in human renal carcinoma cells in response
to atrial natriuretic factor

*M. Ueno, I. Rondon, B. Beckman, J. Brookins, J. Nakashima,
F. E. Cole, and J. W. Fisher*

C427

Effect of temperature on myosin phosphorylation in mouse skeletal muscle

*R. L. Moore, B. M. Palmer, S. L. Williams, H. Tanabe,
R. W. Grange, and M. E. Houston*

C432

Fluorescent stilbene (BADS) binding proteins in anion-transporting epithelia

S. F. A. Pearce and J. A. Zadunaisky

C439

Duramycin enhances chloride secretion in airway epithelium

M. M. Cloutier, L. Guernsey, P. Mattes, and B. Koeppe

C450

Relationship between proliferation and glucose metabolism in primary cultures
of rabbit proximal tubules

M.-J. Tang and R. L. Tannen

C455

Internalization of fluorescent vasotocin-receptor agonist and antagonist
in the toad bladder

P. Eggena, M. Lu, and A. Buku

C462

pH regulation and response to AVP in A10 cells differ markedly in the presence
vs. absence of CO₂-HCO₃⁻

D. Kikeri, M. L. Zeidel, B. J. Ballermann, B. M. Brenner, and S. C. Hebert

C471

Protein content and myosin light chain phosphorylation in uterine
arteries during pregnancy

D. J. Annibale, C. R. Rosenfeld, J. T. Stull, and K. E. Kamm

C484

Essential activation of Na⁺-H⁺ exchange by [H⁺]_i in HL-60 cells

D. Restrepo, D. S. Cho, and M. J. Kron

C490

Alterations in the functional properties of skinned fibers from denervated
rabbit skeletal muscle

M. M. Trachez, R. T. Sudo, and G. Suarez-Kurtz

C503

| | |
|---|------|
| Enzymatic plasticity of medial gastrocnemius fibers in the adult chronic spinal cat <i>B. Jiang, R. R. Roy, and V. R. Edgerton</i> | C507 |
|---|------|

RAPID COMMUNICATIONS

| | |
|---|------|
| Gadolinium blocks low- and high-threshold calcium currents in pituitary cells <i>B. A. Biagi and J. J. Enyeart</i> | C515 |
| Presence of a novel influx pathway for Mg^{2+} in MDCK cells <i>G. A. Quamme and L.-J. Dai</i> | C521 |

LETTERS TO THE EDITOR

| | |
|---|------|
| Role of prostaglandins in protein turnover in tumor-bearing rats <i>W. H. Hartl, K.-W. Jauch, and F. W. Schildberg; A. B. Strelkov, A. L. A. Fields, and V. E. Baracos</i> | C526 |
| Li^+ as a secretagogue agent <i>A. Serrano-Castro, F. J. de Abajo, and P. Sánchez-García; M. Kato and M. Suzuki</i> | C527 |

| | |
|--------------|------|
| ANNOUNCEMENT | C530 |
|--------------|------|

No. 4. OCTOBER 1990

| | |
|---|------|
| Phorbol ester-stimulated human neutrophil membrane depolarization is dependent on Ca^{2+} -regulated Cl^- efflux <i>J. B. Myers, H. F. Cantiello, J. H. Schwartz, and A. I. Tauber</i> | C531 |
| Extracellular magnesium-dependent sodium efflux in squid giant axons <i>H. Gonzalez-Serratos and H. Rasgado-Flores</i> | C541 |
| Loss of bradykinin receptors and TPA-stimulated Na^+ influx in SV40-transformed WI-38 cells <i>B. G. Etscheid, G. A. Jamieson, Jr., K. Toscas, and M. L. Villereal</i> | C549 |
| Regulation of Na-K-Cl cotransport in cultured canine airway epithelia: a [3H]bumetanide binding study <i>M. Haas, L. G. Johnson, and R. C. Boucher</i> | C557 |
| Chloride (or bicarbonate)-dependent copper uptake through the anion exchanger in human red blood cells <i>J. O. Alda and R. Garay</i> | C570 |
| A factor in serum lowers resistance and opens tight junctions of MDCK cells <i>G. Conyers, L. Milks, M. Conklyn, H. Showell, and E. Cramer</i> | C577 |
| ATP-dependent pH_i recovery in lung macrophages: evidence for a plasma membrane H^+ -ATPase <i>A. Bidani and S. E. S. Brown</i> | C586 |
| Different temperature sensitivity of cardiac Na^+ channels in cell-attached and cell-free conditions <i>M. Kohlhardt</i> | C599 |
| Sequence homologies among intestinal and renal Na^+ /glucose cotransporters <i>M. J. Coady, A. M. Pajor, and E. M. Wright</i> | C605 |
| Electron microscopy of platelet interactions with heme-octapeptide-labeled fibrinogen <i>D. G. Moon, J. R. Shainoff, and S. R. Gonda</i> | C611 |
| Stability of Na^+ - K^+ -ATPase α -subunit isoforms in evolution <i>K. Takeyasu, V. Lemas, and D. M. Fambrough</i> | C619 |
| Protein kinase C activation and myosin light chain phosphorylation in ^{32}P -labeled arterial smooth muscle <i>H. A. Singer</i> | C631 |
| Osmotic activation of Na^+ - H^+ exchange in human endothelial cells <i>N. Escobales, E. Longo, E. J. Cragoe, Jr., N. R. Danthuluri, and T. A. Brock</i> | C640 |
| Nonmetabolizable glucose analogues and ornithine decarboxylase expression in LLC-PK ₁ cells <i>D. W. Lundgren and C. V. Vacca</i> | C647 |

| | |
|--|------|
| Hepatic cytochrome P-450 in rats submitted to chronic hypobaric hypoxia <i>L. E. Costa</i> | C654 |
| Glycolytic component of rat spermatid energy and acid-base metabolism <i>J. G. Reyes, M. V. Velarde, R. Ugarte, and D. J. Benos</i> | C660 |
| Cholinergic modulation of apical Na ⁺ channels in turtle colon: analysis of CDPC-induced fluctuations <i>D. J. Wilkinson and D. C. Dawson</i> | C668 |
| Spatial dynamics of intracellular calcium in agonist-stimulated vascular smooth muscle cells <i>C. B. Neylon, J. Hoyland, W. T. Mason, and R. F. Irvine</i> | C675 |
| Time-varying magnetic fields increase cytosolic free Ca ²⁺ in HL-60 cells <i>J. J. L. Carson, F. S. Prato, D. J. Drost, L. D. Diesbourg, and S. J. Dixon</i> | C687 |

RAPID COMMUNICATIONS

| | |
|--|------|
| AVP stimulates adenylyl cyclase and phospholipase C in reciprocal fashion in cultured RIMCT cells <i>I. Teitelbaum and A. Strasheim</i> | C693 |
|--|------|

No. 5. NOVEMBER 1990

BRIEF REVIEW

| | |
|---|------|
| Platelet-activating factor and related acetylated lipids as potent biologically active cellular mediators <i>F. Snyder</i> | C697 |
|---|------|

| | |
|--|------|
| Sulfhydryls on frog skeletal muscle membrane participate in contraction <i>T. Oba and M. Yamaguchi</i> | C709 |
| PT pretreatment inhibits 48/80-induced activation of Ca ²⁺ -permeable channels in rat peritoneal mast cells <i>M. Kuno, J. Kawaguchi, M. Mukai, and F. Nakamura</i> | C715 |
| Effect of oxygen tension on catecholamine-induced formation of cAMP and on swelling of carp red blood cells <i>A. Salama and M. Nikinmaa</i> | C723 |
| Heat induces intracellular acidification in human A-431 cells: role of Na ⁺ -H ⁺ exchange and metabolism <i>J. G. Kiang, L. C. McKinney, and E. K. Gallin</i> | C727 |
| Reduced prostacyclin formation after reoxygenation of anoxic endothelium <i>S. L. Hempel, D. L. Haycraft, J. C. Hoak, and A. A. Spector</i> | C738 |
| Erythrocyte cation permeability induced by mechanical stress: a model for sickle cell cation loss <i>R. M. Johnson and S. A. Gannon</i> | C746 |
| Anion selectivity and block of the small-conductance chloride channel on pancreatic duct cells <i>M. A. Gray, C. E. Pollard, A. Harris, L. Coleman, J. R. Greenwell, and B. E. Argent</i> | C752 |
| Pb ²⁺ -induced secretion from bovine chromaffin cells: fura-2 as a probe for Pb ²⁺ <i>J. L. Tomsig and J. B. Suszkiw</i> | C762 |
| Alteration in the myosin phosphorylation pattern of smooth muscle by phorbol ester <i>M. Seto, Y. Sasaki, and Y. Sasaki</i> | C769 |
| <i>Xenopus</i> oocyte K ⁺ current. I. FSH and adenosine stimulate follicle cell-dependent currents <i>L. J. Greenfield, Jr., J. T. Hackett, and J. Linden</i> | C775 |
| <i>Xenopus</i> oocyte K ⁺ current. II. Adenylyl cyclase-linked receptors on follicle cells <i>L. J. Greenfield, Jr., J. T. Hackett, and J. Linden</i> | C784 |
| <i>Xenopus</i> oocyte K ⁺ current. III. Phorbol esters and pH regulate current at gap junctions <i>L. J. Greenfield, Jr., J. T. Hackett, and J. Linden</i> | C792 |

| | |
|---|------|
| Basal and stretch-augmented natriuretic peptide secretion by quiescent rat atria <i>E. Page, G. E. Goings, B. Power, and J. Upshaw-Earley</i> | C801 |
| Foreign anion substitution for chloride in human red blood cells: effect on ionic and osmotic equilibria <i>J. A. Payne, C. Lytle, and T. J. McManus</i> | C819 |
| Role of polyamines in mitogenic and secretory responses of pancreatic β -cells to growth factors <i>Å. Sjöholm, N. Welsh, S. Sandler, and C. Hellerström</i> | C828 |
| Tricarboxylic acid cycle intermediates in human muscle during prolonged exercise <i>K. Sahlin, A. Katz, and S. Broberg</i> | C834 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Regulation of Cl^- permeability in normal and cystic fibrosis sweat duct cells <i>S. J. Ram, M. L. Weaver, and K. L. Kirk</i> | C842 |
|---|------|

ANNOUNCEMENTS

C847

No. 6. DECEMBER 1990

| | |
|---|------|
| 15-Lipoxygenase products of arachidonate play a role in proliferation of transformed erythroid cells <i>D. Postoak, L. Nystuen, L. King, M. Ueno, and B. S. Beckman</i> | C849 |
| Somatostatin increases voltage-dependent potassium currents in rat somatotrophs <i>C. Chen, J. Zhang, J.-D. Vincent, and J.-M. Israel</i> | C854 |
| Plasmin-induced platelet aggregation is accompanied by cleavage of aggrecan and indirectly mediated by calpain <i>R. N. Puri, F. Zhou, R. F. Colman, and R. W. Colman</i> | C862 |
| Vectorial secretion of a kallikrein-like enzyme by cultured renal cells I. General properties <i>B. Jovov, N. K. Wills, P. J. Donaldson, and S. A. Lewis</i> | C869 |
| Adenine nucleotide depletion from endothelial cells exposed to xanthine oxidase <i>T. K. Aalto and K. O. Raivio</i> | C883 |
| Acute inhibition of respiratory capacity of muscle reduces peak oxygen consumption <i>R. M. McAllister and R. L. Terjung</i> | C889 |
| Cyclosporin A and vehicle toxicity in primary cultures of rabbit renal proximal tubule cells <i>P. P. Sokol, L. C. Capodagli, M. Dixon, P. D. Holohan, C. R. Ross, R. Coulson, and D. B. Jones</i> | C897 |
| VIP and forskolin enhance carbachol-induced K^+ efflux from rat salivary gland fragments by a Ca^{2+} -sensitive mechanism <i>O. Larsson, T. Detsch, and B. B. Fredholm</i> | C904 |
| Ca sensitivity and acetylcholine receptor currents of twitch and tonic snake muscle fibers <i>R. L. Ruff and P. Spiegel</i> | C911 |
| Endocytosis of water channels in rat kidney: cell specificity and correlation with in vivo antidiuresis <i>W. I. Lencer, D. Brown, D. A. Ausiello, and A. S. Verkman</i> | C920 |
| Inhibitory influence of phosphate and arsenate on contraction of skinned skeletal and cardiac muscle <i>T. M. Nosek, J. H. Leal-Cardoso, M. McLaughlin, and R. E. Godt</i> | C933 |
| Na-H exchange in myocardium: effects of hypoxia and acidification on Na and Ca <i>S. E. Anderson, E. Murphy, C. Steenbergen, R. E. London, and P. M. Cala</i> | C940 |
| Calcium channels and basal prolactin secretion in single male rat lactotropes <i>G. Cota, M. Hiriart, J. Horta, and J. L. Torres-Escalante</i> | C949 |
| Swelling-activated KCl cotransport in rabbit red cells: flux is determined mainly by cell volume rather than shape <i>M. L. Jennings and R. K. Schulz</i> | C960 |

| | |
|--|------|
| Na ⁺ -K ⁺ -ATPase in adipocyte differentiation in culture <i>J. J. Russo, M. A. Manuli, F. Ismail-Beigi, K. J. Sweadner, and I. S. Edelman</i> | C968 |
| Role of calcium in tight junction formation between epithelial cells <i>L. Gonzalez-Mariscal, R. G. Contreras, J. J. Bolívar, A. Ponce, B. Chávez de Ramirez, and M. Cerejido</i> | C978 |
| Synthesis, transfer, and phosphorylation of phosphoinositides in cardiac membranes <i>R. A. Wolf</i> | C987 |

SPECIAL COMMUNICATIONS

| | |
|---|------|
| Reduction of ferrylmyoglobin in rat diaphragm <i>L. Eddy, A. Arduini, and P. Hochstein</i> | C995 |
|---|------|

RAPID COMMUNICATIONS

| | |
|---|-------|
| [Ca ²⁺] _i modulation of Cl ⁻ content controls cell volume in single salivary acinar cells during fluid secretion <i>J. K. Foskett</i> | C998 |
| Acute changes in channel density of amphibian diluting segment <i>A. M. Hurst and M. Hunter</i> | C1005 |
| Genetic complementation in cystic fibrosis pancreatic cells by somatic cell fusion <i>T. Jilling, S. Cunningham, P. E. Barker, M. W. Green, R. A. Frizzell, and K. L. Kirk</i> | C1010 |

| | |
|-----------------------------------|-------|
| <i>Subject Index to Volume 28</i> | C1017 |
| <i>Author Index to Volume 28</i> | C1025 |

CORRIGENDA

Volume 259, August 1990
Volume 28, August 1990

Pages C279-C294: B. Thorens, Z.-Q. Cheng, D. Brown, and H. F. Lodish. "Liver glucose transporter: a basolateral protein in hepatocytes and intestine and kidney cells." B. Thorens, H. F. Lodish, and D. Brown. "Differential localization of two glucose transporter isoforms in rat kidney." Because of the disappointing reproduction of the halftones, these articles are reprinted at the end of the December issue.

American Journal of Physiology: Endocrinology and Metabolism

No. 1. JULY 1990

EDITORIAL REVIEW

| | |
|---|------|
| Peptide transport systems for opiates across the blood-brain barrier <i>W. A. Banks and A. J. Kastin</i> | E1 |
| <hr/> | |
| Defective thermoregulatory thermogenesis does not cause onset of obesity in Zucker rats <i>R. Kaul, G. Heldmaier, and I. Schmidt</i> | E11 |
| Splanchnic control of vasopressin secretion in conscious rats <i>S. Choi-Kwon, R. McCarty, and A. J. Baertschi</i> | E19 |
| Changes in insulin receptor kinase with aging in rat skeletal muscle and liver <i>S. Kono, H. Kuzuya, M. Okamoto, H. Nishimura, A. Kosaki, T. Kakehi, M. Okamoto, G. Inoue, I. Maeda, and H. Imura</i> | E27 |
| Quantitative role of splanchnic region in leucine metabolism: L-[1- ¹³ C, ¹⁵ N]leucine and substrate balance studies <i>Y.-M. Yu, D. A. Wagner, E. E. Tredget, J. A. Walaszewski, J. F. Burke, and V. R. Young</i> | E36 |
| Altered blood flow regulation in autotransplanted pancreatic islets of rats <i>L. Jansson and S. Sandler</i> | E52 |
| Pregnancy suppresses G protein coupling to phosphoinositide hydrolysis in guinea pig myometrium <i>S. J. Arkinstall and C. T. Jones</i> | E57 |
| Influence of age and endurance training on metabolic rate and hormones in healthy men <i>E. T. Poehlman, T. L. McAuliffe, D. R. Van Houten, and E. Danforth, Jr.</i> | E66 |
| Activation of PKC inhibits NaF-induced inositol phospholipid turnover in rat insulinoma cells <i>T. Yamatani, A. Yamaguchi, A. Nakamura, T. Morishita, S. Kadowaki, T. Fujita, and T. Chiba</i> | E73 |
| Selective reduction of α_2 -adrenergic responsiveness in hamster adipose tissue during prolonged starvation <i>C. Carpené, J. Galitzky, J.-S. Saulnier-Blache, and M. Lafontan</i> | E80 |
| Activation of insulin-like growth factor gene expression during work-induced skeletal muscle growth <i>D. L. DeVol, P. Rotwein, J. L. Sadow, J. Novakofski, and P. J. Bechtel</i> | E89 |
| Effects of insulin on whole body and forearm leucine and KIC metabolism in type 1 diabetes <i>P. Tessari, G. Biolo, S. Inchiostro, L. Saccà, R. Nosadini, M. T. Boscarato, R. Trevisan, S. V. De Kreutzenberg, and A. Tiengo</i> | E96 |
| Early establishment of cerebral dysfunction after portacaval shunting <i>A. M. Mans, M. R. DeJoseph, D. W. Davis, J. R. Viña, and R. A. Hawkins</i> | E104 |
| Effect of a high-fat-sucrose diet on in vivo insulin receptor kinase activation <i>J. J. Boyd, I. Contreras, M. Kern, E. B. Tapscott, D. L. Downes, W. R. Frisell, and G. L. Dohm</i> | E111 |
| Ketone bodies and islet function: ⁴⁵ Ca handling, insulin synthesis, and release <i>W. J. Malaisse, P. Lebrun, B. Yaylali, J. Camara, I. Valverde, and A. Sener</i> | E117 |
| Ketone bodies and islet function: ⁸⁶ Rb handling and metabolic data <i>W. J. Malaisse, P. Lebrun, J. Rasschaert, F. Blachier, T. Yilmaz, and A. Sener</i> | E123 |
| Distinction of NPY receptors in vitro and in vivo. I. NPY-(18-36) discriminates NPY receptor subtypes in vitro <i>M. C. Michel, E. Schlicker, K. Fink, J. H. Boublik, M. Göthert, R. N. Willette, R. N. Daly, J. P. Hieble, J. E. Rivier, and H. J. Motulsky</i> | E131 |

| | |
|--|------|
| Platelet catecholamine contents are cumulative indexes of sympathoadrenal activity <i>K. G. Chamberlain, R. G. Pestell, and J. D. Best</i> | E141 |
| Glutamine transport and metabolism in denervated rat skeletal muscle <i>H. S. Hundal, P. Babij, P. W. Watt, M. R. Ward, and M. J. Rennie</i> | E148 |
| Insulin secretory capacity in endurance-trained and untrained young men <i>D. S. King, M. A. Staten, W. M. Kohrt, G. P. Dalsky, D. Elahi, and J. O. Holloszy</i> | E155 |
| Lighting conditions affect serum and pituitary TSH in male rats <i>M.-L. Laakso, T. Porkka-Heiskanen, D. Stenberg, G. Johansson, and P. T. Männistö</i> | E162 |
| Ammonia metabolism during intense dynamic exercise and recovery in humans <i>T. E. Graham, J. Bangsbo, P. D. Gollnick, C. Juel, and B. Saltin</i> | E170 |
| Diet affects the mechanisms by which TNF stimulates hepatic triglyceride production <i>K. R. Feingold, S. Adi, I. Staprans, A. H. Moser, R. Neese, J. A. Verdier, W. Doerrler, and C. Grunfeld</i> | E177 |
| Euglycemic hyperinsulinemia augments amino acid uptake by human leg tissues during hyperaminoacidemia <i>W. M. Bennet, A. A. Connacher, C. M. Scrimgeour, R. T. Jung, and M. J. Rennie</i> | E185 |
| Hepatic nerves are not essential to the increase in hepatic glucose production during muscular work <i>D. H. Wasserman, P. E. Williams, D. B. Lacy, D. Bracy, and A. D. Cherrington</i> | E195 |
| ATP production rate in mitochondria isolated from microsamples of human muscle <i>R. Wibom and E. Hultman</i> | E204 |
| Effects of norepinephrine infusion on in vivo insulin sensitivity and responsiveness <i>J. R. Lupien, M. F. Hirshman, and E. S. Horton</i> | E210 |
| Pancreatic β -cell somatostatin receptors <i>K. Thermos, M. D. Meglasson, J. Nelson, K. M. Lounsbury, and T. Reisine</i> | E216 |
| Role of glucagon in disposal of an amino acid load <i>G. Boden, L. Tappy, F. Jadali, R. D. Hoeldtke, I. Rezvani, and O. E. Owen</i> | E225 |
| Effect of age on body composition and resting metabolic rate <i>N. K. Fukagawa, L. G. Bandini, and J. B. Young</i> | E233 |
| Bradykinin attenuates glucagon-induced leucine oxidation in humans <i>W. H. Hartl, H. Miyoshi, F. Jahoor, S. Klein, D. Elahi, and R. R. Wolfe</i> | E239 |
| Brain natriuretic peptide binding sites in rats: in vitro autoradiographic study <i>E. M. Konrad, G. Thibault, S. Pelletier, J. Genest, and M. Cantin</i> | E246 |
| Transforming growth factor alpha in developing rats <i>P. I. Brown, R. Lam, J. Lakshmanan, and D. A. Fisher</i> | E256 |
| Effects of desipramine on norepinephrine clearance in congestive heart failure <i>B. Clemson, R. G. Baily, D. Davis, and R. Zelis</i> | E261 |
| Time course of exercise-induced decline in malonyl-CoA in different muscle types <i>W. W. Winder, J. Arogyasami, I. M. Elayan, and D. Cartmill</i> | E266 |
| Rapid nongenomic inhibition of renal 25-hydroxyvitamin D ₃ 1-hydroxylase by 1,25-dihydroxyvitamin D ₃ <i>I. M. Dick, R. Retallack, and R. L. Prince</i> | E272 |
| Na ⁺ -K ⁺ pump in rat muscle: effects of hypophysectomy, growth hormone, and thyroid hormone <i>M. E. Everts, I. Dørup, A. Flyvbjerg, S. M. Marshall, and K. D. Jørgensen</i> | E278 |
| Characteristics of glutamine transport in sarcolemmal vesicles from rat skeletal muscle <i>A. Ahmed, P. M. Taylor, and M. J. Rennie</i> | E284 |

MODELING METHODOLOGY FORUM

| | |
|--|------|
| Distribution and kinetics of glucose in rats analyzed by noncompartmental and compartmental analysis <i>M. Raman, J. Radziuk, and G. Hetenyi, Jr.</i> | E292 |
|--|------|

| | |
|--|------|
| Thermogenic effect of thyroid hormones: interactions with epinephrine and insulin <i>V. Piolino, K. J. Acheson, M. J. Müller, N. Jeanprêtre, A. G. Burger, and E. Jéquier</i> | E305 |
| Mechanism of atrial natriuretic factor-induced inhibition of rat mesangial cell mitogenesis <i>R. G. Appel</i> | E312 |
| 1,25(OH) ₂ D response to combined zinc and phosphorus depletion in rats <i>P. L. Kimmel, D. W. Watkins, E. Slatopolsky, and C. B. Langman</i> | E319 |
| Systemic pH modifies ketone body production rates and lipolysis in humans <i>V. L. Hood, U. Keller, M. W. Haymond, and D. Küry</i> | E327 |
| Quantitative comparison of pathways of hepatic glycogen repletion in fed and fasted humans <i>G. I. Shulman, G. Cline, W. C. Schumann, V. Chandramouli, K. Kumaran, and B. R. Landau</i> | E335 |
| Effect of insulin-induced hypoglycemia on protein metabolism in vivo <i>H. Hourani, P. Williams, J. A. Morris, M. E. May, and N. N. Abumrad</i> | E342 |
| Operating behavior of dual or multiple endocrine pulse generators <i>J. D. Veldhuis, A. E. Lassiter, and M. L. Johnson</i> | E351 |
| Adrenalectomy increases brown adipose tissue metabolism in <i>ob/ob</i> mice housed at 35°C <i>H.-K. Kim and D. R. Romsos</i> | E362 |
| Regulation of plasma calcium and phosphate in calcitonin-infused rats <i>S. Lausson, P. Tracqui, L. Toubiana, G. Milhaud, A. M. Perault-Staub, and J. F. Staub</i> | E370 |
| Kinetics and specificity of insulin uptake from plasma into cerebrospinal fluid <i>M. W. Schwartz, A. Sipols, S. E. Kahn, D. F. Lattemann, G. J. Taborsky, Jr., R. N. Bergman, S. C. Woods, and D. Porte, Jr.</i> | E378 |
| Entrainment of circadian phase in developing gray short-tailed opossums: mother vs. environment <i>S. A. Rivkees and S. M. Reppert</i> | E384 |
| Glucose metabolism and recycling by hepatocytes of <i>OB/OB</i> and <i>ob/ob</i> mice <i>J. T. Lahtela, P. A. Wals, and J. Katz</i> | E389 |
| Measurement of lactate formation from glucose using [6- ³ H]- and 6- ¹⁴ C- glucose in humans <i>A. Virkamäki, I. Puhakainen, N. Nurjhan, J. E. Gerich, and H. Yki-Järvinen</i> | E397 |
| Adrenal steroid receptor binding in spleen and thymus after stress or dexamethasone <i>A. H. Miller, R. L. Spencer, M. Stein, and B. S. McEwen</i> | E405 |
| Insulin stimulates mitochondrial protein synthesis and respiration in isolated perfused rat heart <i>E. E. McKee and B. L. Grier</i> | E413 |
| Age-related differences in norepinephrine kinetics: effect of posture and sodium-restricted diet <i>M. A. Supiano, O. A. Linares, M. J. Smith, and J. B. Halter</i> | E422 |
| Effects of naloxone on renin and pressor responses to acute renal hypotension in rats <i>C. J. Weaver and M. D. Johnson</i> | E432 |
| Renal arginine synthesis: studies in vitro and in vivo <i>S. N. Dhanakoti, J. T. Brosnan, G. R. Herzberg, and M. E. Brosnan</i> | E437 |
| Effect of bathocuproine disulfonate, a copper chelator, on cyst(e)ine metabolism by freshly isolated rat hepatocytes <i>R. M. Coloso, M. R. Drake, and M. H. Stipanuk</i> | E443 |
| A stimulatory effect of FFA on glycolysis unmasked in cells with impaired oxidative capacity <i>W. G. Blackard, J. N. Clore, and L. P. Powers</i> | E451 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Effects of amylin on glucose metabolism and glycogenolysis in vivo and in vitro <i>D. A. Young, R. O. Deems, R. W. Deacon, R. H. McIntosh, and J. E. Foley</i> | E457 |
|---|------|

| | |
|--|------|
| Mechanism of clearance of dipeptides by perfused hindquarters: sarcolemmal hydrolysis of peptides <i>M. Raghunath, E. L. Morse, and S. A. Adibi</i> | E463 |
| Effect of exercise and recovery on muscle protein synthesis in human subjects <i>F. Carraro, C. A. Stuart, W. H. Hartl, J. Rosenblatt, and R. R. Wolfe</i> | E470 |
| Effect of starvation on human muscle protein metabolism and its response to insulin <i>D. A. Fryburg, E. J. Barrett, R. J. Louard, and R. A. Gelfand</i> | E477 |
| Quantitative partition of threonine oxidation in pigs: effect of dietary threonine <i>O. Ballevre, A. Cadenhead, A. G. Calder, W. D. Rees, G. E. Loble, M. F. Fuller, and P. J. Garlick</i> | E483 |
| Fetoplacental deamination and decarboxylation of leucine <i>G. L. Loy, A. N. Quick, Jr., W. W. Hay, Jr., G. Meschia, F. C. Battaglia, and P. V. Fennessey</i> | E492 |
| Altered hepatic mitochondrial fatty acid oxidation and ketogenesis in endotoxic rats <i>N. Takeyama, Y. Itoh, Y. Kitazawa, and T. Tanaka</i> | E498 |
| Effect of hypoinsulinemia and hyperglycemia on fetal glucose utilization <i>J. E. DiGiacomo and W. W. Hay, Jr.</i> | E506 |
| Formation of gluconeogenic precursors in rat skeletal muscle during fasted-refed transition <i>M. N. Goodman, R. Dietrich, and P. Luu</i> | E513 |
| Insulin binding to individual rat skeletal muscles <i>D. J. Koerker, I. R. Sweet, and D. G. Baskin</i> | E517 |
| A fluorescent analogue of hydrin 1: a new probe for vasotocin receptors <i>P. Eggena, C.-L. Ma, M. Lu, and A. Buku</i> | E524 |
| Inhibition of intermediary metabolism by amiodarone in dog thyroid slices <i>D. Pasquali, F.-Y. Tseng, C. S. S. Rani, and J. B. Field</i> | E529 |
| Thermogenesis following meal feeding, isoproterenol, and cold in rats with LH lesions <i>S. W. Corbett, B. Roland, and R. E. Keesey</i> | E534 |
| Lack of effect of hyperglycemia on lipolysis in humans <i>M. Caruso, G. D. Divertie, M. D. Jensen, and J. M. Miles</i> | E542 |
| Novel effects of insulin secretagogues on capacitation of insulin release and survival of cultured pancreatic islets <i>M. J. MacDonald, L. A. Fahien, D. I. McKenzie, and S. M. Moran</i> | E548 |
| Effects of testosterone on muscle insulin sensitivity and morphology in female rats <i>A. Holmång, J. Svedberg, E. Jennische, and P. Björntorp</i> | E555 |
| Acute effects of insulin-like growth factor I and insulin on glucose metabolism in vivo <i>R. T. Moxley III, P. Arner, A. Moss, A. Skottner, M. Fox, D. James, and J. N. Livingston</i> | E561 |
| Maternal diet and insulin secretion in islets of lactating, nonlactating, and young rats <i>C. R. Bliss, D. E. Wiedenkeller, and G. W. G. Sharp</i> | E568 |
| Total energy expenditure in burned children using the doubly labeled water technique <i>M. I. Goran, E. J. Peters, D. N. Herndon, and R. R. Wolfe</i> | E576 |
| Comparison of in vitro and in vivo ⁴⁴ Ca labeling of bone by scanning ion microprobe <i>D. A. Bushinsky, J. M. Chabala, and R. Levi-Setti</i> | E586 |

RAPID COMMUNICATIONS

| | |
|--|------|
| Glucose transporter protein content and glucose transport capacity in rat skeletal muscles <i>E. J. Henriksen, R. E. Bourey, K. J. Rodnick, L. Koranyi, M. A. Permutt, and J. O. Holloszy</i> | E593 |
|--|------|

LETTERS TO THE EDITOR

| | |
|--|------|
| Oxygen consumption of human adipose tissue <i>L. Sjöström</i> | E599 |
|--|------|

INVITED REVIEW

Glucose homeostasis and hypothalamic-pituitary-adrenocortical axis during development in rats

E. P. Widmaier

E601

Fluxes and membrane transport of amino acids in rat liver under different protein diets

P. Fafournoux, C. Remesy, and C. Demigne

E614

Dexamethasone increases glucose cycling, but not glucose production, in healthy subjects

A. Wajngot, A. Khan, A. Giacca, M. Vranic, and S. Efendic

E626

Nitrogen sparing by 2-ketoisocaproate in parenterally fed rats

M. Yagi, D. E. Matthews, and M. Walser

E633

Effect of two methods of hand heating on body temperature, forearm blood flow, and deep venous oxygen saturation

I. W. Gallen and I. A. Macdonald

E639

Vasoactive peptides and phenylephrine actions in isolated teleost hepatocytes

T. W. Moon and T. P. Mommsen

E644

Low ratio of fat to carbohydrate oxidation as predictor of weight gain: study of 24-h RQ

F. Zurlo, S. Lillioja, A. Esposito-Del Puente, B. L. Nyomba, I. Raz, M. F. Saad, B. A. Swinburn, W. C. Knowler, C. Bogardus, and E. Ravussin

E650

Role of corticosterone in adaptive changes in energy expenditure during refeeding after low calorie intake

A. G. Dulloo, J. Seydoux, and L. Girardier

E658

Regulation of serum 1,25-dihydroxyvitamin D₃ in lactating rats

B. Lobaugh, A. Boass, G. E. Lester, and S. U. Toverud

E665

Tumor necrosis factor- α and interferon- γ reduce prolactin release in vitro

P. E. Walton and M. J. Cronin

E672

Contribution of liver and skeletal muscle to alanine and lactate metabolism in humans

A. Consoli, N. Nurjhan, J. J. Reilly, Jr., D. M. Bier, and J. E. Gerich

E677

Reversal of enhanced muscle glucose transport after exercise: roles of insulin and glucose

E. A. Gulve, G. D. Cartee, J. R. Zierath, V. M. Corpus, and J. O. Holloszy

E685

Food deprivation alters liver glycogen metabolism and endocrine responses to hemorrhage

O. Ljungqvist, P. O. Boija, H. Esahili, M. Larsson, and J. Ware

E692

Insulin- and thyroid hormone-independent adaptation of myofibrillar proteolysis to glucocorticoids

A. G. Kayali, M. N. Goodman, J. Lin, and V. R. Young

E699

Effects of insulin on carbohydrate and protein metabolism in voluntary running rats

K. J. Rodnick, G. M. Reaven, S. Azhar, M. N. Goodman, and C. E. Mondon

E706

Different responses of trabecular and cortical bone to 1,25(OH)₂D₃ infusion

D. D. Bikle, B. P. Halloran, C. McGalliard-Cone, and E. Morey-Holton

E715

Osmoregulation of vasopressin in diabetic ketoacidosis

J. A. Durr, W. H. Hoffman, J. Hensen, A. H. Sklar,

T. El Gammal, and C. M. Steinhart

E723

Brain glucose utilization and transport and cortical function in chronic vs. acute hypoglycemia

D. A. Pelligrino, L. J. Segil, and R. F. Albrecht

E729

Dose-dependent effect of insulin on plasma free fatty acid turnover and oxidation in humans

R. C. Bonadonna, L. C. Groop, K. Zych, M. Shank, and R. A. DeFronzo

E736

Reconstitution of solubilized V₁ vasopressin receptors of human platelets

M. Thibonnier, A. L. Bayer, M. S. Simonson, and R. M. Snajdar

E751

SPECIAL COMMUNICATIONS

Interpretation of isotopomer patterns in tracing glycogen synthesis and glucose recycling using [$^{13}\text{C}_6$]glucose

C. Des Rosiers, B. R. Landau, and H. Brunengraber

E757

No. 6. DECEMBER 1990

Protein metabolism after injury with turpentine: a rat model for clinical trauma

M. Wusteman, D. G. D. Wight, and M. Elia

E763

Mechanisms of starvation diabetes: a study with double tracer and indirect calorimetry

F. Fery, N. P. d'Attellis, and E. O. Balasse

E770

Effect of endurance training on glucose transport capacity and glucose transporter expression in rat skeletal muscle

T. Ploug, B. M. Stallknecht, O. Pedersen, B. B. Kahn, T. Ohkuwa, J. Vinten, and H. Galbo

E778

Distribution and ontogeny of thyrotropin-releasing hormone degrading enzymes in rats

Y. Fuse, D. H. Polk, R. W. Lam, A. L. Reviczky, and D. A. Fisher

E787

Parathyroid hormone-related protein and calcium homeostasis in lactating mice

M. E. Melton, J. J. D'Anza, S. A. Wimbiscus, V. Grill, T. J. Marin, and S. C. Kukreja

E792

Measurement of albumin synthesis in humans: a new approach employing stable isotopes

P. E. Ballmer, M. A. McNurlan, E. Milne, S. D. Heys, V. Buchan, A. G. Calder, and P. J. Garlick

E797

Hepatic uptake and metabolism of oral galactose in adult fasted rats

C. B. Niewoehner, B. Neil, and T. Martin

E804

Renal 25-hydroxyvitamine D-1 α -hydroxylase activity and mitochondrial phosphate transport in *Hyp* mice

T. O. Carpenter and T. Shiratori

E814

Cimaterol reduces cathepsin activities but has no anabolic effect in cultured myotubes

D. M. Béchet, A. Listrat, C. Deval, M. Ferrara, and J. F. Quirke

E822

Insulin receptor activity and insulin sensitivity in mammary gland of lactating rats

A. F. Burnol, M. Loizeau, and J. Girard

E828

Phenylalanine flux, oxidation, and conversion to tyrosine in humans studied with L-1- ^{13}C phenylalanine

G. A. Zello, P. B. Pencharz, and R. O. Ball

E835

Characterization of the process of sodium-calcium exchange in pancreatic islet cells

P. O. Plasman, P. Lebrun, and A. Herchuelz

E844

Hemodynamic effects of leukotriene C $_4$ in ovine fetus

B. A. Meyer, S. W. Walsh, and V. M. Parisi

E851

Calmodulin and insulin secretion: use of naphthalenesulfonamide compounds

G. C. Yaney and G. W. G. Sharp

E856

Adipocyte lactate production remains elevated during refeeding after fasting

F. D. Newby, L. K. Wilson, S. V. Thacker, and M. DiGirolamo

E865

Ca $^{2+}$ release and InsP $_3$ production in avian uterine cells: effects of PGF $_{2\alpha}$ and AVT

M. Molnár and F. Hertelendy

E872

Sustained hyperglycemia results in testicular dysfunction and reduced fertility potential in BBWOR diabetic rats

D. F. Cameron, J. Rountree, R. E. Schultz, D. Repetta, and F. T. Murray

E881

LETTERS TO THE EDITOR

On the measurement of ketone body turnover

C. Cobelli, G. Toffolo, A. Avogaro, and R. Nosadini; J. W. Bailey, M. W. Haymond, and J. M. Miles

E890

ANNOUNCEMENTS

E891

Subject Index to Volume 22

E893

Author Index to Volume 22

E901

American Journal of Physiology: Gastrointestinal and Liver Physiology

No. 1. JULY 1990

| | |
|---|------|
| Contribution of intracellular calcium to gallbladder smooth muscle contraction <i>L. M. Renzetti, M. B. Wang, and J. P. Ryan</i> | G1 |
| Mediation of food protein-induced jejunal smooth muscle contraction in sensitized rats <i>R. B. Scott, D. G. Gall, and M. Maric</i> | G6 |
| Serum factors influencing cultured hepatocyte exogenous and endogenous triglyceride <i>M. Levinson, B. Oswald, and S. Quarfordt</i> | G15 |
| Bile acids do not mediate the hyperdynamic circulation in portal hypertensive rats <i>P. Genecin, J. Polio, L. A. Colombato, G. Ferraioli, A. Reuben, and R. J. Groszmann</i> | G21 |
| Variations in duodenal cross-sectional area during the interdigestive migrating motility complex <i>H. Gregersen, K. Kraglund, and J. C. Djurhuus</i> | G26 |
| [¹⁴ C]urea and ⁶⁸ Co-EDTA as reference indicators in hepatic multiple indicator dilution studies <i>K. S. Pang, F. Barker III, A. J. Schwab, and C. A. Goresky</i> | G32 |
| Impaired gastric acid secretion in mast cell-deficient mice <i>D. J. Stechschulte, Jr., D. C. Morris, R. L. Jilka, D. J. Stechschulte, and K. N. Dileepan</i> | G41 |
| Responses to hypotension in conscious rats with chronic portal venous hypertension <i>H. D. Battarbee, G. E. Farrar, and R. P. Spears</i> | G48 |
| Na ⁺ -Ca ²⁺ exchange in cultured rat hepatocytes: evidence against a role in cytosolic Ca ²⁺ regulation or signaling <i>S. D. Lidofsky, M.-H. Xie, and B. F. Scharschmidt</i> | G56 |
| NaCl transport across equine proximal colon and the effect of endogenous prostanoids <i>L. L. Clarke and R. A. Argenzio</i> | G62 |
| Regulated phosphorylation of secretory granule membrane proteins of the rat parotid gland <i>C. R. Marino, J. D. Castle, and F. S. Gorelick</i> | G70 |
| Effects of ileal infusions of nutrients on motor patterns of canine small intestine <i>M.-L. Siegle, H.-R. Schmid, and H.-J. Ehrlein</i> | G78 |
| Reduced cholecystokinin mediates the inhibition of pancreatic growth induced by bile salts <i>G. Gomez, C. M. Townsend, Jr., D. W. Green, S. Rajaraman, G. H. Greeley, Jr., and J. C. Thompson</i> | G86 |
| Differential regulation of mRNAs encoding for rat intestinal alkaline phosphatase <i>R. Eliakim, S. Seetharam, C. C. Tietze, and D. H. Alpers</i> | G93 |
| Development of L-glutamine-stimulated electroneutral sodium absorption in piglet jejunum <i>J. M. Rhoads, E. O. Keku, L. E. Bennett, J. Quinn, and J. G. Lecce</i> | G99 |
| H ⁺ -K ⁺ -ATPase and carbonic anhydrase II gene expression in the developing rat fundus <i>L. R. Marino, B. H. Muglia, and T. Yamada</i> | G108 |
| Absorption and metabolism of [³ H]arachidonic and [¹⁴ C]linoleic acid in essential fatty acid-deficient rats <i>L. Hjelt, T. Melin, Å. Nilsson, and B. Strandvik</i> | G116 |
| Excitatory and inhibitory neural regulation of canine pyloric smooth muscle <i>F. Vogalis and K. M. Sanders</i> | G125 |
| An in vitro model of ischemia/reperfusion-induced microvascular injury <i>W. Inauen, D. N. Granger, C. J. Meininger, M. E. Schelling, H. J. Granger, and P. R. Kvietys</i> | G134 |

| | |
|---|------|
| Platelet-activating factor mediates gastric damage induced by hemorrhagic shock <i>J. L. Wallace, C. M. Hogaboam, and G. W. McKnight</i> | G140 |
| Effect of a leukotriene receptor antagonist on LTC ₄ vasoconstriction in rat stomach <i>Y. Yonei and P. H. Guth</i> | G147 |

LETTERS TO THE EDITOR

| | |
|---|------|
| Colonic motor response to eating <i>J. Fioramonti and L. Bueno; S. K. Sarna and I. M. Lang</i> | G155 |
|---|------|

No. 2. AUGUST 1990

| | |
|---|------|
| Amylase release from streptolysin O-permeabilized pancreatic acini <i>M. Kitagawa, J. A. Williams, and R. C. De Lisle</i> | G157 |
| <i>C. difficile</i> toxin A increases intestinal permeability and induces Cl ⁻ secretion <i>R. Moore, C. Pothoulakis, J. T. LaMont, S. Carlson, and J. L. Madara</i> | G165 |
| Intravenous amino acids stimulate human gallbladder emptying and hormone release <i>W. H. Nealon, J. R. Upp, Jr., R. W. Alexander, G. Gomez, C. M. Townsend, Jr., and J. C. Thompson</i> | G173 |
| Effects of hypovolemia on blood flow, arterial [HCO ₃ ⁻], and HCO ₃ ⁻ output in the rat duodenum <i>C. Jönson, L. Holm, T. Jansson, and L. Fändriks</i> | G179 |
| Distinct receptors for cholecystokinin and gastrin on muscle cells of stomach and gallbladder <i>J. R. Grider and G. M. Makhlof</i> | G184 |
| Luminal CCK-releasing factors in the isolated vascularly perfused rat duodenojejunum <i>J. C. Cuber, G. Bernard, T. Fushiki, C. Bernard, R. Yamanishi, E. Sugimoto, and J. A. Chayvialle</i> | G191 |
| Control of interdigestive and intraduodenal meal-stimulated pancreatic secretion in rats <i>J. Chariot, C. Nagain, F. Hugonet, A. Tsocas, and C. Rozé</i> | G198 |
| Effect of bile salt on phosphatidylcholine composition and secretion of hepatic high-density lipoproteins <i>S. J. Robins, J. M. Fasulo, and G. M. Patton</i> | G205 |
| Effects of albumin and histidine on kinetics of copper transport by fibroblasts <i>G. L. Waldrop and M. J. Ettinger</i> | G212 |
| Effect of albumin on net copper accumulation by fibroblasts and hepatocytes <i>G. L. Waldrop, F. A. Palida, M. Hadi, P. A. Lonergan, and M. J. Ettinger</i> | G219 |
| Effects of enteric neural defunctioning on small bowel motility <i>C. T. Frantzides, R. E. Condon, B. T. Doumas, and J. C. Garancis</i> | G226 |
| In vivo transport kinetics and distribution of taurocholate by rat ileum and jejunum <i>M. C. Lewis and C. Root</i> | G233 |
| VIP-induced alterations in cAMP and inositol phosphates in the lower esophageal sphincter <i>S. M. Szwczak, J. Behar, G. Billett, C. Hillemeier, B. Y. Rhim, and P. Biancani</i> | G239 |
| Determinants of upper esophageal sphincter pressure in dogs <i>P. Jacob, P. J. Kahrilas, G. Herzon, and B. McLaughlin</i> | G245 |
| VIP antagonist [N-Ac-Tyr ¹ ,D-Phe ²]-GRF-(1-29)-NH ₂ : an inhibitor of vasodilation in the feline colon <i>M. A. Blank, K. Kimura, M. Fuortes, and B. M. Jaffe</i> | G252 |
| Slow waves actively propagate at submucosal surface of circular layer in canine colon <i>K. M. Sanders, R. Stevens, E. Burke, and S. M. Ward</i> | G258 |
| Pacemaker activity in septal structures of canine colonic circular muscle <i>S. M. Ward and K. M. Sanders</i> | G264 |
| Lacrimal gland inositol trisphosphate isomer and inositol tetrakisphosphate production <i>D. A. Dartt, D. M. Dicker, L. V. Ronco, I. M. Kjeldsen, R. R. Hodges, and S. A. Murphy</i> | G274 |

| | |
|---|------|
| Maturation of the rat intestinal microvasculature from juvenile to early adult life <i>J. L. Unthank, J. M. Lash, and H. G. Bohlen</i> | G282 |
| Paracellular intestinal absorption of glucose, creatinine, and mannitol in normal animals: relation to body size <i>J. R. Pappenheimer</i> | G290 |
| Role of platelet-activating factor in ischemia/reperfusion-induced leukocyte adherence <i>P. Kubes, G. Ibbotson, J. Russell, J. L. Wallace, and D. N. Granger</i> | G300 |
| Altered smooth muscle function in worm-free gut regions of <i>Trichinella</i> -infected rats <i>L. Marzio, P. Blennerhassett, S. Chiverton, D. L. Vermillion, J. Langer, and S. M. Collins</i> | G306 |

SPECIAL COMMUNICATIONS

| | |
|--|------|
| Changes in tone of canine gallbladder measured by an electronic pneumatic barostat <i>M. Tanaka, M. G. Sarr, L. J. Miller, and J.-R. Malagelada</i> | G314 |
|--|------|

RAPID COMMUNICATIONS

| | |
|---|------|
| Gastric effects of TRH analogue and bicuculline injected into dorsal motor vagal nucleus in cats <i>H.-S. Feng, R. B. Lynn, J. Han, and F. P. Brooks</i> | G321 |
|---|------|

LETTERS TO THE EDITOR

| | |
|---|------|
| Transport characteristics of glutamine <i>H. M. Said, K. Van Voorhis, F. K. Ghishan, N. Abumrad, W. Nylander, and R. Redha</i> | G327 |
|---|------|

No. 3. SEPTEMBER 1990

| | |
|--|------|
| Investigations of the migrating motor complex in domestic turkeys <i>L. R. Mueller, G. E. Duke, and O. A. Evanson</i> | G329 |
| Na ⁺ -H ⁺ exchange in basolateral plasma membrane vesicles from neonatal rat liver <i>A. L. Goodrich and F. J. Suchy</i> | G334 |
| Gene expression in regenerating and acute-phase rat liver <i>J. Milland, A. Tsykin, T. Thomas, A. R. Aldred, T. Cole, and G. Schreiber</i> | G340 |
| Relationship between interdigestive duodenal motility and fluid transport in humans <i>H. Sjövall, I. Hagman, and H. Abrahamsson</i> | G348 |
| Gastrointestinal motor effects of erythromycin <i>M. F. Otterson and S. K. Sarna</i> | G355 |
| Molecular forms of cholecystokinin in rat intestine <i>C. M. Turkelson and T. E. Solomon</i> | G364 |
| Uphill transport of β -alanine in intestinal brush-border membrane vesicles <i>Y. Miyamoto, H. Nakamura, T. Hoshi, V. Ganapathy, and F. H. Leibach</i> | G372 |
| Response of canine lower esophageal sphincter to gastric distension <i>S. J. Franzi, C. J. Martin, M. R. Cox, and J. Dent</i> | G380 |
| A comparison of absorption of glycerol tristearate and glycerol trioleate by rat small intestine <i>S. E. Bergstedt, H. Hayashi, D. Kritchevsky, and P. Tso</i> | G386 |
| Identification of taurocholate binding sites in ileal plasma membrane <i>F. R. Simon, J. Sutherland, and E. Sutherland</i> | G394 |
| Meal-stimulated absorption of water and electrolytes in canine jejunum <i>C. J. Yeo, J. A. Bastidas, R. E. Schmieg, Jr., and M. J. Zinner</i> | G402 |
| Phosphoinositide metabolism in intestinal brush borders: stimulation of IP ₃ formation by guanine nucleotides and Ca ²⁺ <i>A. B. Vaandrager, M. C. Ploemacher, and H. R. De Jonge</i> | G410 |
| Relation between small intestinal motor activity and transit in secretory diarrhea <i>V. E. Cowles and S. K. Sarna</i> | G420 |

| | |
|--|------|
| Thromboxane plays a role in postprandial jejunal oxygen uptake and capillary exchange <i>A. Alemayehu and C. C. Chou</i> | G430 |
| Characterization of β -adrenoreceptors on smooth muscle cells from guinea pig stomach <i>L. Zhang, R. T. Jensen, and P. N. Maton</i> | G436 |
| Absorption of β -casomorphins from autoperfused lamb and piglet small intestine <i>L. C. Read, A. P. D. Lord, V. Brantl, and G. Koch</i> | G443 |
| Amiloride and taurine inhibit cholate-induced HCO_3^- -rich choleresis in perfused rat livers <i>M. S. Anwer, J. M. Atkinson, and P. Zimniak</i> | G453 |
| Gastric ulceration induced by nonsteroidal anti-inflammatory drugs is a neutrophil-dependent process <i>J. L. Wallace, C. M. Keenan, and D. N. Granger</i> | G462 |
| Potent bombesin receptor antagonists distinguish receptor subtypes <i>T. von Schrenck, L.-H. Wang, D. H. Coy, M. L. Villanueva, S. Mantey, and R. T. Jensen</i> | G468 |
| Effect of age on the secretory capacity of pig small intestine in vivo and in vitro <i>G. T. A. McEwan, B. Schousboe, C. G. Nielsen, and E. Skadhauge</i> | G474 |
| Effect of denervation of the myenteric plexus on gastroduodenal motility in turkeys <i>S. B. Chaplin and G. E. Duke</i> | G481 |
| Volume-sensitive synaptic input to neurons in guinea pig inferior mesenteric ganglion <i>T. L. Anthony and D. L. Kreulen</i> | G490 |
| Na restriction blunts expansion of plasma volume and ameliorates hyperdynamic circulation in portal hypertension <i>P. Genecin, J. Polio, and R. J. Groszmann</i> | G498 |
| Sodium-adenosine cotransport in brush-border membranes from rabbit ileum <i>S. L. Betcher, J. N. Forrest, Jr., R. G. Knickelbein, and J. W. Dobbins</i> | G504 |

SPECIAL COMMUNICATIONS

| | |
|---|------|
| Time-series analysis of myoelectric cycling of sphincter of Oddi: evidence of cycling during fed state <i>M. E. Zenilman, J. Parodi, E. Spitznagel, and J. M. Becker</i> | G511 |
|---|------|

ANNOUNCEMENTS

G518

No. 4. OCTOBER 1990

| | |
|--|------|
| Validation of tonometric measurement of gut intramural pH during endotoxemia and mesenteric occlusion in pigs <i>J. B. Antonsson, C. C. Boyle III, K. L. Kruithoff, H. Wang, E. Sacristan, H. R. Rothschild, and M. P. Fink</i> | G519 |
| Bioavailability of dietary glutathione: effect on plasma concentration <i>T. M. Hagen, G. T. Wierzbicka, A. H. Sillau, B. B. Bowman, and D. P. Jones</i> | G524 |
| Fate of dietary glutathione: disposition in the gastrointestinal tract <i>T. M. Hagen, G. T. Wierzbicka, B. B. Bowman, T. Y. Aw, and D. P. Jones</i> | G530 |
| Cl^- channel blockers inhibit acid secretion in rabbit parietal cells <i>D. H. Malinowska</i> | G536 |
| Ontogenetic development of monosaccharide and amino acid transporters in rabbit intestine <i>R. K. Buddington and J. M. Diamond</i> | G544 |
| Dual modulation by adenosine of gastrin release from canine G-cells in primary culture <i>W. Schepp, A. H. Soll, and J. H. Walsh</i> | G556 |
| Effect of basolateral acidification on the frog oxynticopeptic cell <i>S. Arvidsson, K. Carter, A. Yanaka, S. Ito, and W. Silen</i> | G564 |
| Intestinal D-glucose transport and membrane fluidity along crypt-villus axis of streptozocin-induced diabetic rats <i>P. K. Dudeja, R. K. Wali, A. Klitzke, and T. A. Brasitus</i> | G571 |

| | |
|--|------|
| Ethanol enhances leukocyte-endothelial cell interactions in mesenteric venules <i>P. R. Kvietys, M. A. Perry, T. S. Gagarella, and D. N. Granger</i> | G578 |
| Luminal polyamines stimulate repair of gastric mucosal stress ulcers <i>J.-Y. Wang and L. R. Johnson</i> | G584 |
| Submucosal plexus alone integrates motor activity and epithelial transport in rat jejunum <i>N. A. See, B. Greenwood, and P. Bass</i> | G593 |
| Intracisternal TRH analogue RX 77368 stimulates gastric histamine release in rats <i>K. Yanagisawa and Y. Taché</i> | G599 |
| Hypoxia-induced vasodilation of the feline superior mesenteric artery is not adenosine mediated <i>L. K. Lockhart and W. W. Lautt</i> | G605 |
| Effect of cellular iron concentration on iron uptake by hepatocytes <i>D. Trinder, R. G. Batey, E. H. Morgan, and E. Baker</i> | G611 |
| Both tissue and serum phospholipases release rat intestinal alkaline phosphatase <i>R. Eliakim, M. J. Becich, K. Green, and D. H. Alpers</i> | G618 |
| Role of tyrosine kinases in gastrin induction of ornithine decarboxylase in colonic mucosa <i>A. P. N. Majumdar</i> | G626 |
| Vitamin D-independent intestinal calcium and phosphorus absorption during reproduction <i>R. Brommage, D. C. Baxter, and L. W. Gierke</i> | G631 |
| Role of microfilaments in asialoglycoprotein processing in adult and developing liver <i>S. S. Kaufman, P. L. Blain, J. H. Y. Park, and D. J. Tuma</i> | G639 |
| Effect of substance P and neurokinin A on rat parietal cell function <i>W. Schepp, J. Schmidtler, V. Schusdziarra, and M. Classen</i> | G646 |
| Cholecystokinin-induced formation of inositol phosphates in pancreatic acini <i>W. H. Rowley, S. Sato, S. C. Huang, D. M. Collado-Escobar, M. A. Beaven, L.-H. Wang, J. Martinez, J. D. Gardner, and R. T. Jensen</i> | G655 |
| Rabbit ileal brush-border membrane Cl-HCO ₃ exchanger is activated by an internal pH-sensitive modifier site <i>A. Mugharbil, R. G. Knickelbein, P. S. Aronson, and J. W. Dobbins</i> | G666 |
| Acidic mucin layer facilitates micelle dissociation and fatty acid diffusion <i>Y.-F. Shiau, R. J. Kelemen, and M. A. Reed</i> | G671 |
| Effect of duodenal amino acid infusion on solid gastric emptying in pigs <i>B. R. Landers, P. G. Devitt, and G. G. Jamieson</i> | G676 |
| Lipid binding to gastric mucin: protective effect against oxygen radicals <i>D. Gong, B. Turner, K. R. Bhaskar, and J. T. LaMont</i> | G681 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Characterization of saturable binding sites for circulating pancreatic polypeptide in rat brain <i>D. C. Whitcomb, I. L. Taylor, and S. R. Vigna</i> | G687 |
|---|------|

No. 5. NOVEMBER 1990

| | |
|--|------|
| Effect of <i>T. spiralis</i> infection on intestinal motor activity in the fasted state <i>V. E. Cowles and S. K. Sarna</i> | G693 |
| Relationship between maternal milk PGE ₂ and gastric acid secretion in newborn rats <i>A. Wirbel, R. Ducroc, B. Garzon, C. Merlet-Bénichou, and J. P. Gelo</i> | G702 |
| Fat feeding increases size, but not number, of chylomicrons produced by small intestine <i>H. Hayashi, K. Fujimoto, J. A. Cardelli, D. F. Nutting, S. Bergstedt, and P. Tso</i> | G709 |
| Comparison of calcium and magnesium absorption: in vivo and in vitro studies <i>L. L. Hardwick, M. R. Jones, R. K. Buddington, R. A. Clemens, and D. B. N. Lee</i> | G720 |
| DBcAMP stimulates vesicle transport and HRP excretion in isolated perfused rat liver <i>T. Hayakawa, R. Bruck, O. C. Ng, and J. L. Boyer</i> | G727 |
| Mechanism of glucagon choleresis in guinea pigs <i>R. Lenzen, V. J. Hruby, and N. Tavaloni</i> | G736 |

| | |
|--|------|
| Fasting and postprandial hepatic bile flow in unanesthetized opossums <i>I. Takahashi, M. K. Kern, W. J. Dodds, W. J. Hogan, R. D. Layman, and H. V. Ammon</i> | G745 |
| Leukotriene D ₄ excitation of rabbit distal colon arises in the region of the muscularis mucosae <i>W. H. Percy, S. Y. Lee, M. B. Burton, T. Tolentino, and R. Burakoff</i> | G753 |
| Gastrin-releasing peptide directly releases pepsinogen from guinea pig chief cells <i>S. Fiorucci and K. E. McArthur</i> | G760 |
| Regulation of postprandial motility in the canine ileum <i>A. Fich, S. F. Phillips, M. Neri, R. B. Hanson, and A. R. Zinsmeister</i> | G767 |
| Glycyl-L-sarcosine transport by ATP-depleted isolated enterocytes from chicks <i>M. L. Calonge, A. Ilundáin, and J. Bolufer</i> | G775 |
| Evaluation of selective liver denervation methods <i>G. Cucchiari, Y. Yamaguchi, E. Mills, C. M. Kuhn, D. C. Anthony, G. D. Branum, R. Epstein, and W. C. Meyers</i> | G781 |
| Water and ion handling in the rat cecum <i>E. Escobar, C. Ibarra, E. Todisco, and M. Parisi</i> | G786 |
| Characterization of sustained $[Ca^{2+}]_i$ increase in pancreatic acinar cells and its relation to amylase secretion <i>Y. Tsunoda, E. L. Stuenkel, and J. A. Williams</i> | G792 |
| Characterization of Na^+-H^+ exchangers on villus cells in rabbit ileum <i>R. G. Knickelbein, P. S. Aronson, and J. W. Dobbins</i> | G802 |
| Sulfate and oxalate exchange for bicarbonate across the basolateral membrane of rabbit ileum <i>R. G. Knickelbein and J. W. Dobbins</i> | G807 |
| Phagocytosis by Kupffer cells predominates in pericentral regions of the liver lobule <i>J. M. te Koppele and R. G. Thurman</i> | G814 |
| Luminal glucose concentrations in the gut under normal conditions <i>R. P. Ferraris, S. Yasharpour, K. C. K. Lloyd, R. Mirzayan, and J. M. Diamond</i> | G822 |
| Mode of stimulation of gallbladder contraction by substance K <i>W. M. Yau</i> | G838 |
| Amiloride and analogues inhibit Na^+-H^+ exchange and cell proliferation in AR42J pancreatic cell line <i>M. Delvaux, M. J. Bastié, J. Chentoufi, E. J. Cragoe, Jr., N. Vaysse, and A. Ribet</i> | G842 |
| Characterization of K^+ and Cl^- conductances in apical membrane vesicles from stimulated rabbit oxyntic cells <i>W. W. Reenstra and J. G. Forte</i> | G850 |
| Modulation of PAF-induced leukocyte adherence and increased microvascular permeability <i>P. Kubes, M. Suzuki, and D. N. Granger</i> | G859 |
| Transport of biotin in basolateral membrane vesicles of rat liver <i>H. M. Said, S. Korchid, D. W. Horne, and M. Howard</i> | G865 |
| Characterization of cholecystokinin receptors on the sphincter of Oddi <i>K. L. Cox, T. von Schrenck, T. H. Moran, J. D. Gardner, and R. T. Jensen</i> | G873 |
| Chicken gastrin: a member of the gastrin/CCK family with novel structure-activity relationships <i>R. Dimaline and C. M. Lee</i> | G882 |
| Substance P and CGRP mediate motor response of rabbit colon to capsaicin <i>E. A. Mayer, C. B. M. Koelbel, W. J. Snape, Jr., V. Eysselein, H. Ennes, and A. Kodner</i> | G889 |

No. 6. DECEMBER 1990

| | |
|--|------|
| Control of lower esophageal sphincter pressure by two sites in dorsal motor nucleus of the vagus <i>C. D. Rossiter, W. P. Norman, M. Jain, P. J. Hornby, S. Benjamin, and R. A. Gillis</i> | G899 |
|--|------|

| | |
|---|-------|
| Superoxide anion generation by in situ perfused rat liver: effect of in vivo endotoxin <i>A. P. Bautista and J. J. Spitzer</i> | G907 |
| Ontogeny of gastric H ⁺ -K ⁺ -ATPase in suckling rabbits <i>J. M. Crothers, Jr., W. W. Reenstra, and J. G. Forte</i> | G913 |
| Characterization of the opioid receptor type mediating inhibition of rat gastric somatostatin secretion <i>C. H. S. McIntosh, X. Jia, and Y. N. Kwok</i> | G922 |
| Regulation of canine jejunal transit <i>N. J. Soper, K. L. Geisler, M. G. Sarr, K. A. Kelly, and A. R. Zinsmeister</i> | G928 |
| Stimulation of acetylcholine release in myenteric plexus by calcitonin gene-related peptide <i>M. W. Mulholland and S. Jaffer</i> | G934 |
| Effects of malnutrition on microvillus membrane glucose transport and physical properties <i>J. D. Butzner, P. D. Brockway, and J. B. Meddings</i> | G940 |
| Chemotactic peptide effects on intestinal electrolyte transport <i>T. A. Barrett, M. W. Musch, and E. B. Chang</i> | G947 |
| Cerebral potentials evoked by esophageal distension in humans <i>A. J. P. M. Smout, M. S. DeVore, and D. O. Castell</i> | G955 |
| Hormonal mechanism of sodium oleate-stimulated pancreatic secretion in rats <i>P. Li, K. Y. Lee, T.-M. Chang, and W. Y. Chey</i> | G960 |
| Cation current activated by hyperpolarization (<i>I_H</i>) in guinea pig enteric neurons <i>J. J. Galligan, H. Tatsumi, K.-Z. Shen, A. Surprenant, and R. A. North</i> | G966 |
| Transport of N ¹ -methylnicotinamide by organic cation-proton exchange in rat liver membrane vesicles <i>R. H. Moseley, J. Morrisette, and T. R. Johnson</i> | G973 |
| Relationship between enteric migrating motor complex and the sleep cycle <i>D. Kumar, C. Idzikowski, D. L. Wingate, E. E. Soffer, P. Thompson, and C. Siderfin</i> | G983 |
| Cytoskeleton of intestinal goblet cells: role of actin filaments in baseline secretion <i>M. G. Oliver and R. D. Specian</i> | G991 |
| Feeding induces lipid accumulation and increased Na ⁺ transport in in vitro <i>Necturus</i> antrum <i>M. J. Rutten, C. D. Moore, R. Delcore, Jr., and L. Y. Cheung</i> | G998 |
| Relationship between portal venous and hepatic arterial blood flows: spectrum of response <i>T. Kawasaki, F. J. Carmichael, V. Saldivia, L. Roldan, and H. Orrego</i> | G1010 |
| Modulation of submucosal cholinergic neurons by 5-hydroxytryptamine and neuropeptides <i>W. M. Yau, J. A. Dorsett, and M. L. Youther</i> | G1019 |
| Inhibition of gastric emptying by acids depends on pH, titratable acidity, and length of intestine exposed to acid <i>H. C. Lin, J. E. Doty, T. J. Reedy, and J. H. Meyer</i> | G1025 |
| Inhibition of gastric emptying by sodium oleate depends on length of intestine exposed to nutrient <i>H. C. Lin, J. E. Doty, T. J. Reedy, and J. H. Meyer</i> | G1031 |
| Capsaicin-sensitive afferent fibers contribute to gastric mucosal blood flow response to electrical vagal stimulation <i>G. Thieffn, H. E. Raybould, F. W. Leung, Y. Taché, and P. H. Guth</i> | G1037 |
| Na ⁺ transport properties of isolated rat parotid acini <i>S. Dissing and B. Nauntofte</i> | G1044 |
| Identification and partial characterization of multiple forms of biologically active EGF in rat milk <i>R. P. Schaudies, J. Grimes, H. L. Wray, and O. Koldovsky</i> | G1056 |

SPECIAL COMMUNICATIONS

Visualization and characterization of gastric contractions using a radionuclide technique

*J.-L. C. Urbain, E. Van Cutsem, J. A. Siegel, S. Mayeur, A. Vandecruys,
J. Janssens, M. De Roo, and G. Vantrappen*

G1062

Subject Index to Volume 22

G1069

Author Index to Volume 22

G1077

American Journal of Physiology: Lung Cellular and Molecular Physiology

No. 1. AUGUST 1990

INVITED REVIEWS

- Clearance and recycling of pulmonary surfactant
J. R. Wright L1
- The regulation of lung elastin synthesis
J. A. Foster and S. W. Curtiss L13

COMMENTARIES

- Recent advances in respiratory neurobiology using in vitro methods
A. J. Berger L24
- Lung epithelial ion transport and fluid movement during the perinatal period
R. D. Bland L30
- Plasticity in the airway epithelium
C. Basbaum and B. Jany L38
-
- Bleomycin and cyclophosphamide increase pulmonary type IV procollagen mRNA in mice
D. G. Hoyt and J. S. Lazo L47
- Increased myosin phosphorylation in sensitized canine tracheal smooth muscle
S.-K. Kong, A. J. Halayko, and N. L. Stephens L53
- Metabolic changes in alveolar type II cells after exposure to hydrogen peroxide
L. B. LaCagnin, L. Bowman, J. Y. C. Ma, and P. R. Miles L57
- Calcium and α -adrenergic regulation of Na-Cl(K) cotransport in rabbit tracheal epithelial cells
C. M. Liedtke L66
- Arachidonate metabolism increases as rat alveolar type II cells differentiate in vitro
R. J. Lipchik, J. B. Chauncey, R. Paine, R. H. Simon, and M. Peters-Golden L73
- Anatomic basis for species differences in peripheral lung strip contraction to PAF
M. Halonen, A. M. Dunn, J. D. Palmer, and L. M. McManus L81
- Impairment of phagocytic functions of alveolar macrophages by hydrogen peroxide
R. S. Oosting, L. Van Bree, J. F. Van Iwaarden, L. M. G. Van Golde, and J. Verhoef L87
- Stimulation of prostaglandin synthesis by hyperoxia in perinatal rat lung cells
D. S. C. Lee, M. G. Bevan, and D. M. Olson L95
- Protection of alveolar macrophages from hyperoxia by γ -glutamyl transpeptidase
H. J. Forman and D. C. Skelton L102
- Neural control of goblet cell secretion in guinea pig airways
K. Tokuyama, H.-P. Kuo, J. A. L. Rohde, P. J. Barnes, and D. F. Rogers L108
- Myosin isoforms in neonatal rat extensor digitorum longus, diaphragm, and soleus muscles
W. A. Laframboise, M. J. Daoood, R. D. Guthrie, G. S. Butler-Browne, R. G. Whalen, and M. Ontell L116
- Enhancement of tumor necrosis factor-induced endothelial cell injury by cycloheximide
K. B. Nolop and U. S. Ryan L123
- Maturation of acetylcholinesterase expression in tracheal smooth muscle contraction
R. W. Mitchell, T. M. Murphy, E. Kelly, and A. R. Leff L130
- Cellular LTB₄ production differs in allergic sheep with and without late airway responses
G. A. Chapman, F. Signoretti, I. T. Lauredo, P. Torrealba, M. W. Sielczak, A. Ahmed, and W. M. Abraham L136

RAPID COMMUNICATIONS

- Colony-stimulating factor induction of protooncogene expression
in rat alveolar macrophages
T. Schaberg and A. E. Filderman L144
- Vasoactive intestinal peptide prevents lung injury due to xanthine/xanthine oxidase
H. Berisha, H. Foda, H. Sakakibara, M. Trotz, H. Pakbaz, and S. I. Said L151

BOOKSHELF

L156

No. 2. OCTOBER 1990

INVITED REVIEWS

- Pathobiology of pulmonary fibrosis
E. Crouch L159
- Strategies for analysis of gene expression: pulmonary surfactant proteins
B. R. Stripp, J. A. Whitsett, and D. L. Lattier L185
-
- α -Adrenergic regulation of secretion by tracheal glands
D. J. Culp, R. K. McBride, L. A. Graham, and M. G. Marin L198
- Uptake of palmitic acid by rabbit alveolar type II cells
W. M. Maniscalco, W. Stremmel, and M. Heeney-Campbell L206
- Arachidonic acid metabolism and regulation of ion transport in rabbit Clara cells
M. R. Van Scott, M. R. McIntire, and D. C. Henke L213
- Acrolein stimulates eicosanoid release from bovine airway epithelial cells
C. A. Doupnik and G. D. Leikauf L222
- Aldosterone regulation of basolateral potassium channels in alveolar epithelium
B. Illek, H. Fischer, and W. Clauss L230
- Uptake of instilled radiolabeled lamellar bodies from alveolar compartment of the rat
T. E. Nicholas, H. A. Barr, J. H. T. Power, and M. E. Jones L238
- Lung fibroblasts from animals breathing 100% oxygen produce growth factors
for alveolar type II cells
M. M. Everett, R. J. King, M. B. Jones, and H. M. Martin L247
- Cysteinyl leukotrienes enhance growth of human airway epithelial cells
G. D. Leikauf, H.-E. Claesson, C. A. Doupnik, S. Hybinette, and R. C. Grafström L255
- TGF- β ; modulation of urokinase and PAI-1 expression in human
bronchial epithelial cells
B. I. Gerwin, J. Keski-Oja, M. Seddon, J. F. Lechner, and C. C. Harris L262
- Enzymatic activity is necessary for thrombin-mediated increase
in endothelial permeability
J. L. Aschner, J. M. Lennon, J. W. Fenton, II, M. Aschner, and A. B. Malik L270
- Tumor necrosis factor infusions in humans prime neutrophils
for hypochlorous acid production
*M. D. Wewers, J. J. Rinehart, Z.-W. She, D. J. Herzyk, M. M. Hummel,
P. A. Kinney, and W. B. Davis* L276
- Hormonally regulated proteins in cultured human fetal lung: analysis
by two-dimensional gel electrophoresis
M. W. Odom, R. Ertsey, and P. L. Ballard L283
- Epithelium-dependent contraction of airway smooth muscle caused by eosinophil MBP
*S. R. White, S. Ohno, N. M. Munoz, G. J. Gleich, C. Abrahams,
J. Solway, and A. R. Leff* L294
- Pre- and postjunctional muscarinic receptors in canine bronchi
L. J. Janssen and E. E. Daniel L304
- Antibody against leukocyte integrin (CD18) prevents reperfusion-induced
lung vascular injury
M. J. Horgan, S. D. Wright, and A. B. Malik L315

| | |
|--|------|
| Bronchial epithelial cells exposed to isocyanates potentiate activation and proliferation of T-cells <i>S. Mattoli, S. Miant, F. Calabrò, M. Mezzetti, A. Fasoli, and L. Allegra</i> | L320 |
| Endogenous xanthine oxidase-derived O ₂ metabolites inhibit surfactant metabolism <i>R. R. Baker, P. C. Panus, B. A. Holm, P. C. Engstrom, B. A. Freeman, and S. Matalon</i> | L328 |

BOOKSHELF

L335

No. 3. DECEMBER 1990

INVITED REVIEW

| | |
|---|------|
| Regulation of fetal lung maturation <i>I. Gross</i> | L337 |
| Intracellular calcium concentration of acinar cells in feline tracheal submucosal glands <i>H. Ishihara, S. Shimura, M. Sato, T. Masuda, N. Ishide, M. Miura, T. Sasaki, H. Sasaki, and T. Takishima</i> | L345 |
| Mechanisms of lung polyamine accumulation in chronic hypoxic pulmonary hypertension <i>R.-T. Shiao, H. B. Kostenbauder, J. W. Olson, and M. N. Gillespie</i> | L351 |
| Ultrastructural analysis of regional type II cell development within fetal and neonatal lungs <i>Y. Lin and A. J. Lechner</i> | L359 |
| Histamine stimulates proliferation of airway smooth muscle and induces c-fos expression <i>R. A. Panettieri, P. A. Yadavish, A. M. Kelly, N. A. Rubinstein, and M. I. Kotlikoff</i> | L365 |
| Mechanical removal of airway epithelium disrupts mast cells and releases granules <i>G. M. Franconi, I. Rubinstein, E. H. Levine, S. Ikeda, and J. A. Nadel</i> | L372 |
| Attenuation of acid aspiration edema with phalloidin <i>G. Goldman, R. Welbourn, J. M. Klausner, S. Alexander, L. Kobzik, C. R. Valeri, D. Shepro, and H. B. Hechtman</i> | L378 |
| Potassium currents in canine airway smooth muscle cells <i>M. I. Kotlikoff</i> | L384 |
| Virus-induced alterations in macrophage production of tumor necrosis factor and prostaglandin E ₂ <i>J. R. Panuska, F. Midulla, N. M. Cirino, A. Villani, I. A. Gilbert, E. R. McFadden, Jr., and Y. T. Huang</i> | L396 |
| Electrophysiological properties of neurons in guinea pig bronchial parasympathetic ganglia <i>A. C. Myers, B. J. Undem, and D. Weinreich</i> | L403 |
| Evidence that C ²⁺ -dependent activation of airway epithelia Cl ⁻ channels is not dependent on phosphorylation <i>J. P. Clancy, J. D. McCann, and M. J. Welsh</i> | L410 |
| A novel epithelial cell from neonatal rat lung: isolation and differentiated phenotype <i>P. E. Roberts, D. M. Phillips, and J. P. Mather</i> | L415 |
| β -Adrenergic-mediated Cl secretion: evidence for additional non-cAMP-dependent pathway of effect <i>R. D. Feldman, A. Brotherton, and M. J. Welsh</i> | L426 |
| Alveolar macrophage urokinase receptors localize enzyme activity to the cell surface <i>H. A. Chapman, P. Bertozzi, L. Z. Sailor, and A. R. Nusrat</i> | L432 |
| Calcium ionophores injure alveolar epithelial cells: relation to phospholipase activity <i>K. L. Rice, P. G. Duane, G. Mielke, A. A. Sinha, and D. E. Niewoehner</i> | L439 |
| Lung injury in Fischer but not Sprague-Dawley rats after short-term hyperoxia <i>L. He, S.-W. Chang, P. Oritz de Montellano, T. J. Burke, and N. F. Voelkel</i> | L451 |
| Mechanisms of sodium and chloride transport across equine tracheal epithelium <i>G. J. Tessier, T. R. Traynor, M. S. Kannan, and S. M. O'Grady</i> | L459 |

| | |
|---|------|
| Dihydropyridine-sensitive single calcium channels in airway smooth muscle cells <i>J. F. Worley III and M. I. Kotlikoff</i> | L468 |
| Developmental differences in rabbit lung epithelial cell Na ⁺ -K ⁺ -ATPase <i>D. L. Chapman, J. H. Widdicombe, and R. D. Bland</i> | L481 |
| Regulation of surfactant protein A mRNA by hormones and butyrate in cultured fetal rat lung <i>K. V. Nichols, J. Floros, D. W. Dynia, S. V. Veletza, C. M. Wilson, and I. Gross</i> | L488 |
| Expression of normal and cystic fibrosis phenotypes by continuous airway epithelial cell lines <i>D. M. Jefferson, J. D. Valentich, F. C. Marini, S. A. Grubman, M. C. Iannuzzi, H. L. Dorkin, M. Li, K. W. Klinger, and M. J. Welsh</i> | L496 |

RAPID COMMUNICATIONS

| | |
|--|------|
| Molecular basis for tumor necrosis factor-induced increase in pulmonary superoxide dismutase activities <i>M.-F. Tsan, J. E. White, C. Treanor, and J. B. Shaffer</i> | L506 |
|--|------|

BOOKSHELF

| | |
|----------------------------------|------|
| <i>Subject Index to Volume 3</i> | L517 |
| <i>Author Index to Volume 3</i> | L521 |

American Journal of Physiology: Heart and Circulatory Physiology

No. 1. JULY 1990

Second United States-Japan Symposium

| | |
|--|------|
| Introduction: Cellular and molecular aspects of vascular smooth muscle in health and disease <i>D. F. Bohr, M. Fujiwara, H. Karaki, Y. Nonomura, and R. C. Webb</i> | H1 |
| Evidence for increased myofilament Ca^{2+} sensitivity in norepinephrine-activated vascular smooth muscle <i>J. Nishimura, R. A. Khalil, J. P. Drenth, and C. Van Breemen</i> | H2 |
| Smooth muscles from spastic coronary artery segments show hypercontractility to histamine <i>S. Satoh, H. Tomoike, W. Mitsuoka, S. Egashira, H. Tagawa, T. Kuga, and M. Nakamura</i> | H9 |
| Effect of pinacidil on ion permeability in resting and contracted resistance vessels <i>L. M. Videbæk, C. Aalkjær, A. D. Hughes, and M. J. Mulvany</i> | H14 |
| Saline infusion into lumen of resistance artery and small vein causes contraction <i>J. A. Bevan and E. H. Joyce</i> | H23 |
| <hr/> | |
| Enhanced norepinephrine sensitivity in renal arteries at elevated transmural pressure <i>J. H. Lombard, H. Eskinder, K. Kauser, J. L. Osborn, and D. R. Harder</i> | H29 |
| Arterial pH modulation of regional cerebral blood flow during hyperammonemia in dogs <i>C. G. M. Weigle, R. C. Koehler, S. W. Brusilow, and R. J. Traystman</i> | H34 |
| Effects of atrial natriuretic peptide on isolated bovine mesenteric lymph vessels <i>T. Ohhashi, N. Watanabe, and Y. Kawai</i> | H42 |
| Endothelin 1 causes pulmonary vasodilation in rats <i>K. Hasunuma, D. M. Rodman, R. F. O'Brien, and I. F. McMurtry</i> | H48 |
| Adrenergic denervation in rabbits with diabetes mellitus <i>R. A. Cohen, B. Tesfamariam, R. M. Weisbrod, and K. M. Zitnay</i> | H55 |
| Endothelium-dependent and -independent relaxations to adenosine in guinea pig aorta <i>J. P. Headrick and R. M. Berne</i> | H62 |
| Angiotensin and α -adrenoceptor activation play a role in hemodynamic response to aortic cross-clamping <i>S. Gelman, D. L. Bredle, W. E. Bradley, and S. M. Cain</i> | H68 |
| Halothane anesthesia causes active flow-independent pulmonary vasoconstriction <i>B. B. Chen, D. P. Nyhan, D. M. Fehr, H. M. Goll, and P. A. Murray</i> | H74 |
| Calculated intra- and extracellular PO_2 gradients in heavily working red muscle <i>K. Groebe and G. Thews</i> | H84 |
| Inhibition of hypoxic pulmonary vasoconstriction by increased left atrial pressure in dogs <i>P. Lejeune, J.-M. De Smet, P. De Francquen, M. Leeman, S. Brimioulle, R. Hallemans, C. Melot, and R. Naeije</i> | H93 |
| Biaxial mechanical behavior of excised ventricular epicardium <i>J. D. Humphrey, R. K. Strumpf, and F. C. P. Yin</i> | H101 |
| Cholinergic regulation of resting coronary blood flow in domestic swine <i>C. L. Cowan and J. E. McKenzie</i> | H109 |
| Subcellular distribution of peroxidized lipids in myocardial reperfusion injury <i>A. D. Romaschin, G. J. Wilson, U. Thomas, D. A. Feitler, L. Tumati, and D. A. G. Mickle</i> | H116 |
| Spatial heterogeneity in striated muscle arteriolar tone, cell flow, and capillarity <i>T. E. Sweeney and I. H. Sarelius</i> | H124 |
| Effects of anti-free radical agents on Na^+ , Ca^{2+} , and function in reperfused rat hearts <i>M. Tani</i> | H137 |

| | |
|--|------|
| U74500A inhibition of oxidant-mediated lung injury <i>J. Haynes, Jr., A. Seibert, J. B. Bass, and A. E. Taylor</i> | H144 |
| Leukocyte repletion reverses the protective effect of neutropenia in thrombin-induced increase in lung vascular permeability <i>S. K. Lo, R. R. Garcia-Szabo, and A. B. Malik</i> | H149 |
| Adrenergic and cholinergic responsiveness of isolated canine bronchial arteries <i>S. T. O'Rourke and P. M. Vanhoutte</i> | H156 |
| Permeability of neutral vs. anionic dextrans in cultured brain microvascular endothelium <i>G. Sahagun, S. A. Moore, and M. N. Hart</i> | H162 |
| Transport of inert gases in mammalian myocardium: comparison with a convection-diffusion model <i>H. G. Wolpers, A. Hoeft, H. Korb, P. R. Lichtlen, and G. Hellige</i> | H167 |
| Distinction of NPY receptors in vitro and in vivo. II. Differential effects of NPY and NPY-(18-36) <i>N. A. Scott, M. C. Michel, J. H. Boublik, J. E. Rivier, S. Motomura, R. L. Crum, M. Landon, and M. R. Brown</i> | H174 |
| Theoretical model of ventricular interdependence: pericardial effects <i>W. P. Santamore, T. Shaffer, and L. Papa</i> | H181 |
| Microvascular responses in rabbit skeletal muscle after fixed volume hemorrhage <i>P. Borgström, S. P. Bruttig, L. Lindbom, M. Intaglietta, and K.-E. Arfors</i> | H190 |
| Differential responses of uterine and umbilical vasculatures to angiotensin II and norepinephrine <i>K. E. Clark, G. L. Irion, and C. E. Mack</i> | H197 |
| Analysis of capillary geometry in rat subepicardium and subendocardium <i>D. C. Poole and O. Mathieu-Costello</i> | H204 |
| Hypertension and hemodilution during cerebral ischemia reduce brain injury and edema <i>D. J. Cole, J. C. Drummond, T. N. Osborne, and J. Matsumura</i> | H211 |
| Chronic supraventricular tachycardia causes ventricular dysfunction and subendocardial injury in swine <i>F. G. Spinale, D. A. Hendrick, F. A. Crawford, A. C. Smith, Y. Hamada, and B. A. Carabello</i> | H218 |
| High-speed digital imaging of cytosolic Ca^{2+} and contraction in single cardiomyocytes <i>B. O'Rourke, D. K. Reibel, and A. P. Thomas</i> | H230 |
| Tone regulates opposing endothelium-dependent and -independent forces: resistance vessels of brain in vivo <i>W. I. Rosenblum and G. H. Nelson</i> | H243 |
| Association between cardiovascular reactivity to stress and hypertension or behavior <i>S. Knardahl and E. D. Hendley</i> | H248 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Atrial natriuretic peptide augments forearm capillary filtration in humans <i>L. Groban, A. W. Cowley, Jr., and T. J. Ebert</i> | H258 |
| Membrane-delimited stimulation of heart cell calcium current by β -adrenergic signal-transducing G_s protein <i>S. Pelzer, Y. M. Shuba, T. Asai, J. Codina, L. Birnbaumer, T. F. McDonald, and D. Pelzer</i> | H264 |

No. 2. AUGUST 1990

INVITED REVIEW

| | |
|--|------|
| Cerebral blood flow and energy metabolism during stress <i>R. M. Bryan, Jr.</i> | H269 |
| Contrasting effects of hypoxia on tension in rat pulmonary and mesenteric arteries <i>X.-J. Yuan, M. L. Tod, L. J. Rubin, and M. P. Blaustein</i> | H281 |
| Rate dependence and supernormality in excitability of guinea pig papillary muscle <i>J. M. Davidenko, R. J. Levi, G. Maid, M. V. Elizari, and M. B. Rosenbaum</i> | H290 |

| | |
|--|------|
| Redistribution of myocardial fiber strain and blood flow by asynchronous activation <i>F. W. Prinzen, C. H. Augustijn, T. Arts, M. A. Allesie, and R. S. Reneman</i> | H300 |
| Age-related changes in myocardial relaxation and sarcoplasmic reticulum function <i>T. M. Kaufman, J. W. Horton, D. J. White, and L. Mahony</i> | H309 |
| Mechanisms of substrate preference for oxidative metabolism during early myocardial reperfusion <i>B. Renstrom, A. J. Liedtke, and S. H. Nellis</i> | H317 |
| Renin-angiotensin system involvement in pressure-overload cardiac hypertrophy in rats <i>K. M. Baker, M. I. Chernin, S. K. Wixson, and J. F. Aceto</i> | H324 |
| Hypothermia increases calcium content of hypoxic myocytes <i>J. P. Navas, W. Anderson, and J. D. Marsh</i> | H333 |
| Preferential proximal coronary dilation by activators of guanylate cyclase in awake dogs <i>A. Chu, J. J. Murray, C.-C. Lin, M. Russell, P.-O. Hagen, and F. R. Cobb</i> | H340 |
| Isoproterenol and myocardial O ₂ supply/consumption in hypertension-induced myocardial hypertrophy <i>C. M. Cimini and H. R. Weiss</i> | H346 |
| A mathematical model of a bullfrog cardiac pacemaker cell <i>R. L. Rasmusson, J. W. Clark, W. R. Giles, E. F. Shibata, and D. L. Campbell</i> | H352 |
| A mathematical model of electrophysiological activity in a bullfrog atrial cell <i>R. L. Rasmusson, J. W. Clark, W. R. Giles, K. Robinson, R. B. Clark, E. F. Shibata, and D. L. Campbell</i> | H370 |
| Reperfusion-induced leukocyte infiltration: role of elastase <i>B. J. Zimmerman and D. N. Granger</i> | H390 |
| Rest decay of calcium transients and contractility in feline ventricular myocytes <i>W. H. duBell and S. R. Houser</i> | H395 |
| Transmural hematocrit gradient in left ventricular myocardia of rats <i>E. Vicaut and B. I. Levy</i> | H403 |
| Influence of Na ⁺ gradient on Ca ²⁺ transients and contraction in vascular smooth muscle <i>S. Bova, W. F. Goldman, X.-J. Yuan, and M. P. Blaustein</i> | H409 |
| Acquisition and decay of heat-shock-enhanced postischemic ventricular recovery <i>M. Karmazyn, K. Mailer, and R. W. Currie</i> | H424 |
| Expression of G proteins in rat cardiac myocytes: effect of KCl depolarization <i>K. A. Foster, P. J. McDermott, and J. D. Robishaw</i> | H432 |
| Effect of endothelial cell denudation on fatty acid metabolism by rabbit aorta <i>I. Takasaki, R. A. Cohen, A. V. Chobanian, and P. Brecher</i> | H442 |
| Can pulsed Doppler technique measure changes in aortic blood flow in conscious rats? <i>S. M. Gardiner, A. M. Compton, T. Bennett, and C. J. Hartley</i> | H448 |
| Relationship between diastolic shape (eccentricity) and passive elastic properties in canine left ventricle <i>S. D. Nikolic, E. L. Yellin, M. Dahm, O. Pajaro, and R. W. M. Frater</i> | H457 |
| Angiotensin II and α -agonist. I. Responses of ovine fetoplacental vasculature <i>T. Yoshimura, R. R. Magness, and C. R. Rosenfeld</i> | H464 |
| Angiotensin II and α -agonist. II. Effects on ovine fetoplacental prostaglandins <i>T. Yoshimura, R. R. Magness, and C. R. Rosenfeld</i> | H473 |
| Independent influence of left atrial pressure on regional peak lengthening rates <i>B. D. Hoit, M. LeWinter, and W. Y. W. Lew</i> | H480 |
| Dependence of Na-K pump current on internal Na ⁺ in mammalian cardiac myocytes <i>D. J. Mogul, D. H. Singer, and R. E. Ten Eick</i> | H488 |
| Superoxide dismutase reduces permeability and edema induced by hypertension in rats <i>X.-M. Zhang and E. F. Ellis</i> | H497 |
| Left ventricular dysfunction in early <i>E. coli</i> endotoxemia: effects of naloxone <i>J. L. Parker, R. S. Keller, L. L. Behm, and H. R. Adams</i> | H504 |
| Influence of naloxone on response to acute cardiac tamponade in conscious dogs <i>H. S. Klopfenstein and D. W. Mathias</i> | H512 |
| Effects of hypoxia and reoxygenation on lung glutathione system <i>R. M. Jackson and C. F. Veal</i> | H518 |

| | |
|---|------|
| Complement activation and white cell sequestration in postischemic skeletal muscle <i>B. B. Rubin, A. Smith, S. Liauw, D. Isenman, A. D. Romaschin, and P. M. Walker</i> | H525 |
| Removal rate of [³ H]hyaluronan injected subcutaneously in rabbits <i>R. K. Reed, U. B. G. Laurent, J. R. E. Fraser, and T. C. Laurent</i> | H532 |
| Separate parasympathetic control of heart rate and atrioventricular conduction of dogs <i>D. W. Wallick and P. J. Martin</i> | H536 |
| Abolition of long-term vascular influence of renin-angiotensin system <i>R. D. Randall and B. G. Zimmerman</i> | H543 |
| Modulation of transmembrane potential of isolated cardiac myocytes by insulin and isoproterenol <i>J. Eckel and H. Reinauer</i> | H554 |
| Studies of collateral perfusion to canine middle cerebral artery territory <i>C. M. Loftus, G. M. Greene, K. N. Detwiler, G. L. Baumbach, and D. D. Heistad</i> | H560 |
| Fetal blood volume restoration following rapid fetal hemorrhage <i>R. A. Brace and C. Y. Cheung</i> | H567 |
| Arteriolar reactivity in vivo is influenced by an intramural diffusion barrier <i>M. J. Lew and B. R. Duling</i> | H574 |
| Reduced arachidonate metabolism in ATP-depleted myocardial cells occurs early in cell injury <i>G. E. Revtyak, L. M. Buja, K. R. Chien, and W. B. Campbell</i> | H582 |
| Ca exchange under non-perfusion-limited conditions in rat ventricular cells: identification of subcellular compartments <i>G. A. Langer, T. L. Rich, and F. B. Orner</i> | H592 |
| Effect of perfusate rheology on the diastolic coronary pressure-flow relationship <i>M. Drossner and T. Aversano</i> | H603 |
| Angiotensin II stimulation of protein synthesis and cell growth in chick heart cells <i>K. M. Baker and J. F. Aceto</i> | H610 |
| Effects of increased afterload on left ventricular function in closed-chest dogs <i>G. L. Freeman</i> | H619 |

MODELING METHODOLOGY FORUM

| | |
|---|------|
| Use of ionic currents to identify and estimate parameters in models of channel blockade <i>C. F. Starmer, V. V. Nesterenko, F. R. Gilliam, and A. O. Grant</i> | H626 |
|---|------|

SPECIAL COMMUNICATIONS

| | |
|---|------|
| Coronary flow by left atrial and left ventricular microsphere injection in the rat <i>G. D. Schrock, R. L. Krahmer, and J. L. Ferguson</i> | H635 |
|---|------|

RAPID COMMUNICATIONS

| | |
|--|------|
| Long-lasting openings of single slow (L-type) Ca ²⁺ channels in chick embryonic heart cells <i>N. Tohse and N. Sperelakis</i> | H639 |
| Exercise training alters Ca release from coronary smooth muscle sarcoplasmic reticulum <i>L. Stehno-Bittel, M. H. Laughlin, and M. Sturek</i> | H643 |
| Depression of endothelium-dependent relaxation by filarial parasite products <i>L. Kaiser, P. K. Tithof, and J. F. Williams</i> | H648 |

No. 3. SEPTEMBER 1990

BRIEF REVIEW

| | |
|--|------|
| Synaptic mechanisms regulating cardiovascular afferent inputs to solitary tract nucleus <i>S. W. Mifflin and R. B. Felder</i> | H653 |
|--|------|

| | |
|--|------|
| Role of prostanoids in cerebrovascular responses to asphyxia and reventilation in newborn pigs <i>M. Pourcyrous, C. Leffler, and D. Busija</i> | H662 |
|--|------|

| | |
|--|------|
| Membrane hyperpolarization is a mechanism of endothelium-dependent cerebral vasodilation <i>J. E. Brayden</i> | H668 |
| Rat venular pressure-diameter relationships are regulated by sympathetic activity <i>A. A. Shoukas and H. G. Bohlen</i> | H674 |
| Changes in adrenal oxygen consumption during catecholamine secretion in anesthetized dogs <i>M. J. Breslow, J. R. Tobin, T. D. Mandrell, L. C. Racusen, H. Raff, and R. J. Traystman</i> | H681 |
| Autonomic pathophysiology in heart failure: carotid baroreceptor-cardiac reflexes <i>S. M. Sopher, M. L. Smith, D. L. Eckberg, J. M. Fritsch, and M. E. Dibner-Dunlap</i> | H689 |
| Effect of positive end-expiratory pressure on hypoxic pulmonary vasoconstriction in the dog <i>K. B. Domino and M. R. Pinsky</i> | H697 |
| Functional anatomical site of intramural collaterals in dogs <i>K. W. Scheel, G. Daulat, and S. E. Williams</i> | H706 |
| Transient inotropic effects of low extracellular sodium in perfused rat heart <i>F. Kolar, W. C. Cole, B. Ostada, and N. S. Dhalla</i> | H712 |
| Cardiovascular effects of posterior hypothalamic stimulation in baroreflex-denervated rats <i>K. W. Barron and C. M. Heesch</i> | H720 |
| Prostaglandins mediate skeletal muscle arteriole dilation in hyperdynamic bacteremia <i>H. G. Cryer, R. N. Garrison, P. D. Harris, B. H. Greenwald, and N. L. Alsip</i> | H728 |
| Neural control of ANF release in hypoxia and pulmonary hypertension <i>A. J. Baertschi, J.-H. Jiao, D. E. Carlson, R. W. Campbell, W. G. Teague, D. Willson, and D. S. Gann</i> | H735 |
| Cyclooxygenase blockade attenuates responses of group IV muscle afferents to static contraction <i>D. M. Rotto, J. M. Hill, H. D. Schultz, and M. P. Kaufman</i> | H745 |
| Role of peptidoleukotrienes in hypoxic pulmonary vasoconstriction in rats <i>T. J. McDonnell, J. Y. Westcott, J. Czartolomna, and N. F. Voelkel</i> | H751 |
| Inosine transiently decreases coronary flow but potentiates vasodilation by adenosine <i>P. Van der Meer and J. W. de Jong</i> | H759 |
| Diminished responsiveness of human platelets to platelet-activating factor during pregnancy <i>E. Kornecki and Y. H. Ehrlich</i> | H766 |
| Transcapillary adenosine transport in isolated guinea pig and rat hearts <i>D. E. Mohrman and L. J. Heller</i> | H772 |
| Direct evidence of changes in myofilament responsiveness to Ca^{2+} during hypoxia and reoxygenation in myocardium <i>R. J. Hajjar and J. K. Gwathmey</i> | H784 |
| Captopril reduces left ventricular enlargement induced by chronic volume overload <i>R. G. Gay</i> | H796 |
| Flow stimulates endothelial cells to release a nitrovasodilator that is potentiated by reduced thiol <i>J. P. Cooke, J. Stamler, N. Andon, P. F. Davies, G. McKinley, and J. Loscalzo</i> | H804 |
| Effect of global myocardial stunning on Ca^{2+} -sensitive myofibrillar ATPase activity and creatine kinase kinetics <i>S. M. Krause</i> | H813 |
| Coupling of ATP-sensitive K^+ channels to A_1 receptors by G proteins in rat ventricular myocytes <i>G. E. Kirsch, J. Codina, L. Birnbaumer, and A. M. Brown</i> | H820 |
| Negative inotropy of halogenated anesthetics in ferret ventricular myocardium <i>P. R. Housmans</i> | H827 |

| | |
|--|------|
| Protective effects of an adenosine deaminase inhibitor on ischemia-reperfusion injury in isolated perfused rat heart <i>Q. Zhu, S. Chen, and C. Zou</i> | H835 |
| AV junctional rhythm induced by sympathetic-parasympathetic imbalance in dog hearts <i>Y. Furukawa, P. Martin, and M. N. Levy</i> | H839 |
| Recovery of contractility and pH_i during respiratory acidosis in ferret hearts: role of Na^+/H^+ exchange <i>H. E. Cingolani, Y. Koretsune, and E. Marban</i> | H843 |
| Mechanical, energetic, and biochemical changes in long-term pressure overload of rabbit heart <i>C. L. Gibbs, I. R. Wendt, G. Kotsanas, I. R. Young, and G. Woolley</i> | H849 |
| Assessment of muscle blood flow by laser-Doppler flowmetry during hemorrhage in SHR <i>J. H. Lombard and R. J. Roman</i> | H860 |
| Effects of sex hormones on development of physiological and pathological cardiac hypertrophy in male and female rats <i>A. Malhotra, P. Buttrick, and J. Scheuer</i> | H866 |
| Pacing during reperfusion elevates regional myocardial oxygen consumption <i>J. Kedem, B.-A. Acad, and H. R. Weiss</i> | H872 |
| Transient hypothermic reperfusion and postischemic recovery in isolated rat heart <i>R. D. Kempford, T. Murashita, and D. J. Hearse</i> | H879 |
| Effect of superoxide dismutase and catalase, given separately, on myocardial "stunning" <i>M. O. Jeroudi, F. J. Triana, B. S. Patel, and R. Bolli</i> | H889 |
| Potassium dilates rat cerebral arteries by two independent mechanisms <i>J. G. McCarron and W. Halpern</i> | H902 |
| Effects of acute coronary artery occlusion on the coronary microcirculation <i>K. C. Dellsperger, D. L. Janzen, C. L. Eastham, and M. L. Marcus</i> | H909 |
| Connections between hypothalamus and medullary reticular formation mediate coronary vasoconstriction <i>D. D. Gutterman, A. C. Bonham, G. F. Gebhart, M. L. Marcus, and M. J. Brody</i> | H917 |
| Anoxia-reoxygenation-induced, neutrophil-mediated endothelial cell injury: role of elastase <i>W. Inauen, D. N. Granger, C. J. Meininger, M. E. Schelling, H. J. Granger, and P. R. Kvietys</i> | H925 |
| Effects of hypercapnia and hypoxia on the cardiovascular system: vascular capacitance and aortic chemoreceptors <i>C. F. Rothe, R. Maass-Moreno, and A. D. Flanagan</i> | H932 |
| Propagation and collision characteristics of calcium waves in rat myocytes <i>N. Ishide, T. Urayama, K.-I. Inoue, T. Komaru, and T. Takishima</i> | H940 |
| Ca current facilitation during postrest recovery depends on Ca entry <i>L. V. Hryshko and D. M. Bers</i> | H951 |
| Activation of furosemide-sensitive K^+ fluxes in myocytes by ouabain and recovery from metabolic inhibition <i>O. Kohmoto, J. A. Krueger, and W. H. Barry</i> | H962 |

SPECIAL COMMUNICATIONS

| | |
|--|------|
| In situ calibration of fura-2 and BCECF fluorescence in adult rat ventricular myocytes <i>S. Borzak, R. A. Kelly, B. K. Krämer, Y. Matoba, J. D. Marsh, and M. Reers</i> | H973 |
| Possible modulation of release of atrial natriuretic factor by endothelium-derived relaxing factor <i>C. F. Sanchez-Ferrer, J. C. Burnett, Jr., R. R. Lorenz, and P. M. Vanhoutte</i> | H982 |

MODELING METHODOLOGY FORUM

| | |
|--|------|
| Analysis of tricarboxylic acid cycle of the heart using ^{13}C isotope isomers <i>C. R. Malloy, A. D. Sherry, and F. M. H. Jeffrey</i> | H987 |
|--|------|

| | |
|---|-------|
| Neurotransmission in neonatal rat cardiac ganglion in situ <i>G. R. Seabrook, L. A. Fieber, and D. J. Adams</i> | H997 |
| Compliance of left atrium with and without left atrium appendage <i>C. A. Davis, III, J. C. Rembert, and J. C. Greenfield, Jr.</i> | H1006 |
| Reduced β -agonist sensitivity in single atrial cells from failing human hearts <i>S. E. Harding, S. M. Jones, P. O'Gara, G. Vescovo, and P. A. Poole-Wilson</i> | H1009 |
| Ventricular response during irregular atrial pacing and atrial fibrillation <i>F. J. Chorro, C. J. H. J. Kirchhof, J. Brugada, and M. A. Allesie</i> | H1015 |
| Temporal analysis of myocardial glucose metabolism by 2-[18 F]fluoro-2-deoxy-D-glucose <i>V. T. B. Nguy  n, K. A. Mossberg, T. J. Tewson, W.-H. Wong, R. W. Rowe, G. M. Coleman, and H. Taegtmeier</i> | H1022 |
| Endothelium and mechanical responses of isolated monkey pulmonary veins to histamine <i>T. Matsuki and T. Ohhashi</i> | H1032 |
| Loss of vascular responsiveness induced by endotoxin involves L-arginine pathway <i>G. Julou-Schaeffer, G. A. Gray, I. Fleming, C. Schott, J. R. Parratt, and J.-C. Stoclet</i> | H1038 |
| Effect of acidosis on contractile system in skinned fibers of hypertrophied rat heart <i>S. Kimura, A. L. Bassett, T. Furukawa, N. Furukawa, and R. J. Myerburg</i> | H1044 |
| Identification of major slow blood pressure oscillations in conscious dogs <i>P. B. Persson, H. Ehmke, W. W. K  hler, and H. R. Kirchheim</i> | H1050 |
| Superoxide anion inhibits cGMP-associated bovine pulmonary arterial relaxation <i>P. D. Cherry, H. A. Omar, K. A. Farrell, J. S. Stuart, and M. S. Wolin</i> | H1056 |
| Endothelium-dependent, flow-induced dilation of isolated coronary arterioles <i>L. Kuo, M. J. Davis, and W. M. Chilian</i> | H1063 |
| Deformation response of red blood cells in oscillatory shear flow <i>T. Nakajima, K. Kon, N. Maeda, K. Tsunekawa, and T. Shiga</i> | H1071 |
| Dichloroacetate stimulation of glucose oxidation improves recovery of ischemic rat hearts <i>J. J. McVeigh and G. D. Lopaschuk</i> | H1079 |
| Severe myocardial dysfunction induced by ventricular remodeling in aging rat hearts <i>J. M. Capasso, T. Palackal, G. Olivetti, and P. Anversa</i> | H1086 |
| Hyaluronan in prenodal lymph from skin: changes with lymph flow <i>R. K. Reed, T. C. Laurent, and A. E. Taylor</i> | H1097 |
| Role of iron on membrane phospholipid breakdown in ischemic-reperfused rat heart <i>X. Liu, M. R. Prasad, R. M. Engelman, R. M. Jones, and D. K. Das</i> | H1101 |
| Cardiac effects induced by chemically activated neurons in canine intrathoracic ganglia <i>C. K. Butler, F. M. Smith, J. Nicholson, and J. A. Armour</i> | H1108 |
| Unloaded shortening velocity of skinned rat myocardium: effects of volatile anesthetics <i>J. S. Herland, F. J. Julian, and D. G. Stephenson</i> | H1118 |
| Selective interaction of α -adrenoceptors with myogenic regulation of microvascular smooth muscle <i>J. E. Faber and G. A. Meininger</i> | H1126 |
| Differential effects of hemorrhage on adrenal and renal nerve activity in anesthetized rats <i>H. Togashi, M. Yoshioka, M. Tochiara, M. Matsumoto, and H. Saito</i> | H1134 |
| Oxygen consumption is less in rat hearts arrested by low calcium than by high potassium at fixed flow <i>D. Burkhoff, R. Kalil-Filho, and G. Gerstenblith</i> | H1142 |
| Role of endocardial endothelium in positive inotropic action of vasopressin <i>I. E. Schoemaker, A. L. Meulemans, L. J. Andries, and D. L. Brutsaert</i> | H1148 |
| Cardiovascular responses to vasoactive intestinal contractor, a novel endothelin-like peptide <i>R. K. Minkes, T. R. Higuera, G. F. Rogers, E. A. Sheldon, M. A. Langston, and P. J. Kadowitz</i> | H1152 |

| | |
|---|-------|
| Leukocyte and platelet-derived factors augment canine coronary constriction to serotonin <i>M. Cappelli-Bigazzi, K. G. Lamping, D. W. Nuno, and D. G. Harrison</i> | H1161 |
| Dilation of cerebral arterioles by cytochrome P-450 metabolites of arachidonic acid <i>E. F. Ellis, R. J. Police, L. Yancey, J. S. McKinney, and S. C. Amruthesh</i> | H1171 |
| Extracellular pH modulates block of both sodium and calcium channels by nicardipine <i>F. R. Gilliam, III, P. A. Rivas, D. J. Wendt, C. F. Starmer, and A. O. Grant</i> | H1178 |
| Diaphragm does not produce ammonia or lactate during high-intensity short-term exercise <i>M. Manohar and A. S. Hassan</i> | H1185 |
| Myocardial high-energy phosphates in reactive hyperemia <i>G. G. Schwartz, S. Schaefer, J. Gober, D. J. Meyerhoff, A. Smekal, B. Massie, and M. W. Weiner</i> | H1190 |
| Sympathetic activity during graded central hypovolemia in hypoxemic humans <i>L. B. Rowell and D. R. Seals</i> | H1197 |
| Activity of canine in situ left atrial ganglion neurons <i>J. A. Armour and D. A. Hopkins</i> | H1207 |
| Role of nitric oxide in regulation of basilar artery tone in vivo <i>F. M. Faraci</i> | H1216 |
| Contraction and sarcoplasmic reticulum Ca^{2+} content in single myocytes of guinea pig heart: effect of ryanodine <i>B. Lewartowski, R. G. Hansford, G. A. Langer, and E. G. Lakatta</i> | H1222 |
| Activated oxygen and arachidonate effects on newborn cerebral arterioles <i>C. W. Leffler, D. W. Busija, W. M. Armstead, D. R. Shanklin, R. Mirro, and O. Thelin</i> | H1230 |
| Positive inotropic effects of low concentrations of leukotrienes C_4 and D_4 in rat heart <i>M. Karmazyn and M. P. Moffat</i> | H1239 |
| Perinatal aortic growth in lambs: relation to blood flow changes at birth <i>B. L. Langille, R. D. Brownlee, and S. L. Adamson</i> | H1247 |
| Quantification of spatial inhomogeneity in conduction and initiation of reentrant atrial arrhythmias <i>W. J. E. P. Lammers, M. J. Schali, C. J. H. J. Kirchhof, and M. A. Allesie</i> | H1254 |
| Defects in regulation of mitochondrial ATP synthase in cardiomyocytes from spontaneously hypertensive rats <i>A. M. Das and D. A. Harris</i> | H1264 |
| Regional autoregulatory responses during infusion of vasoconstrictor agents in conscious dogs <i>L. J. Hellebrekers, J.-F. Liard, A. L. Laborde, A. S. Greene, and A. W. Cowley, Jr.</i> | H1270 |
| BBB transport and rapid tissue binding of cyclo-oxygenase: comparison of active and inactive enantiomers <i>R. Kawai, Y. Sawada, M. Channing, A. H. Newman, K. C. Rice, and R. G. Blasberg</i> | H1278 |
| Neutrophil-mediated vascular leakage is not suppressed by leukocyte elastase inhibitors <i>S. Rosengren and K.-E. Arfors</i> | H1288 |
| Adenosine and active hyperemia in soleus and gracilis muscle of cats <i>L. M. Schwartz and J. E. McKenzie</i> | H1295 |

SPECIAL COMMUNICATIONS

| | |
|--|-------|
| A method to estimate the point at which two lines intersect from noisy data <i>S. A. Glantz</i> | H1305 |
|--|-------|

RAPID COMMUNICATIONS

| | |
|---|-------|
| Non-NMDA receptors mediate sensory afferent synaptic transmission in medial nucleus tractus solitarius <i>M. C. Andresen and M. Yang</i> | H1307 |
|---|-------|

| | |
|--|-------|
| Role of endothelium in reactive dilation of skeletal muscle arterioles <i>A. Koller and G. Kaley</i> | H1313 |
| Effects of hypoproteinemia on blood volume and arterial pressure of volume-loaded dogs <i>R. D. Manning, Jr.</i> | H1317 |
| Responses of isolated pulmonary arteries to the C5a anaphylatoxin <i>R. E. Crowell, D. E. Van Epps, and W. P. Reed</i> | H1325 |
| Sarcolemmal Na ⁺ -K ⁺ -ATPase: inactivation by neutrophil-derived free radicals and oxidants <i>R. C. Kukreja, A. B. Weaver, and M. L. Hess</i> | H1330 |
| Effects of sympathectomy on blood pressure and its variability in conscious rats <i>C. Julien, P. Kandza, C. Barres, M. Lo, C. Cerutti, and J. Sassard</i> | H1337 |
| Quantitative and autoradiographic analyses of α -adrenergic and serotonergic receptors on aorta and coronary artery <i>H. Tsutsui, H. Tomoike, and M. Nakamura</i> | H1343 |
| Capillary permeability: atrial peptide action is independent of "protein effect" <i>V. H. Huxley and D. J. Meyer, Jr.</i> | H1351 |
| Capillary permeability: an albumin component attenuates active changes in L_p <i>V. H. Huxley and D. J. Meyer, Jr.</i> | H1357 |
| Cardiac responses to electrical stimulation of discrete loci in canine atrial and ventricular ganglionated plexi <i>C. K. Butler, F. M. Smith, R. Cardinal, D. A. Murphy, D. A. Hopkins, and J. A. Armour</i> | H1365 |
| Atrial natriuretic factor release and natriuresis in rats with high-output heart failure <i>R. Garcia, D. Lachance, and G. Thibault</i> | H1374 |
| Reflex responses of renal nerve activity during isometric muscle contraction in cats <i>K. Matsukawa, P. T. Wall, L. B. Wilson, and J. H. Mitchell</i> | H1380 |
| Excitatory amino acid receptors of guinea pig medial nucleus tractus solitarius neurons <i>J. A. Drewe, R. Miles, and D. L. Kunze</i> | H1389 |
| Endothelium-dependent L-Arg- and L-NMMA-sensitive mechanisms regulate tone of brain microvessels <i>W. I. Rosenblum, H. Nishimura, and G. H. Nelson</i> | H1396 |
| Autoradiographic delineation of skeletal muscle α_1 -adrenergic receptor distribution <i>W. H. Martin, III, T. K. Tolley, and J. E. Saffitz</i> | H1402 |
| Finite strains in anterior and posterior wall of canine left ventricle <i>F. J. Villarreal and W. Y. W. Lew</i> | H1409 |
| Comparison between force-velocity and end-systolic pressure-volume characterization of intrinsic LV function <i>L. P. van der Linden, E. T. van der Velde, A. V. G. Bruschke, and J. Baan</i> | H1419 |
| Pertussis toxin abolishes the effect of neuropeptide Y on rat resistance arteriole contraction <i>R. Andriantsitohaina, P. Andre, and J.-C. Stoclet</i> | H1427 |
| Different activation of L-arginine pathway by bradykinin, serotonin, and clonidine in coronary arteries <i>V. Richard, F. C. Tanner, M. Tschudi, and T. F. Lüscher</i> | H1433 |
| Antibiotics versus cardiovascular support in a canine model of human septic shock <i>C. Natanson, R. L. Danner, J. M. Reilly, M. L. Doerfler, W. D. Hoffman, G. L. Akin, J. M. Hosseini, S. M. Banks, R. J. Elin, T. J. MacVittie, and J. E. Parrillo</i> | H1440 |
| Permeability of time-dependent K ⁺ channel in guinea pig ventricular myocytes to Cs ⁺ , Na ⁺ , NH ₄ ⁺ , and Rb ⁺ <i>R. W. Hadley and J. R. Hume</i> | H1448 |
| Impairment of endothelium-dependent dilatation of basilar artery during chronic hypertension <i>W. G. Mayhan</i> | H1455 |

| | |
|---|-------|
| Effect of atrioventricular relationship on ventricular refractoriness in humans <i>A. H. Kadish, W. H. Kou, S. Schmaltz, and F. Morady</i> | H1463 |
| Interstitial adenosine in guinea pig hearts: an index obtained by epicardial disks <i>C. S. Tietjan, C. G. Tribble, J. M. Gidday, C. L. Phillips, L. Belardinelli, R. Rubio, and R. M. Berne</i> | H1471 |
| Dynamic mechanisms of cardiac oxygenation during brief ischemia and reperfusion <i>W. J. Parsons, J. C. Rembert, R. P. Bauman, J. C. Greenfield, Jr., and C. A. Piantadosi</i> | H1477 |
| Recombinant human interleukin 1 α dilates pial arterioles and increases cerebrospinal fluid prostanoids in piglets <i>M. Shibata, C. W. Leffler, and D. W. Busija</i> | H1486 |
| Three-dimensional mapping of acute ischemic regions using MRI: thickening versus motion analysis <i>H. Azhari, S. Sideman, J. L. Weiss, E. P. Shapiro, M. L. Weisfeldt, W. L. Graves, W. J. Rogers, and R. Beyar</i> | H1492 |
| Parasympathetic postganglionic pathways to the sinoatrial node <i>K. M. Bluemel, R. D. Wurster, W. C. Randall, M. J. Duff, and M. F. O'Toole</i> | H1504 |
| Mechanism underlying the response to vasodilator nerve stimulation in isolated dog and monkey cerebral arteries <i>N. Toda and T. Okamura</i> | H1511 |
| Influence of dietary n-3 fatty acids on myocardial ischemia and reperfusion <i>C. E. Hock, L. D. Beck, R. C. Bodine, and D. K. Reibel</i> | H1518 |
| Enhancement of red cell washout from blood clots by alteration of gel pore size and red cell flexibility <i>M. E. Carr, Jr. and Y. Hauge</i> | H1527 |
| Myocyte structure, function, and calcium kinetics in the cardiomyopathic hamster heart <i>L. Sen, M. O'Neill, J. D. Marsh, and T. W. Smith</i> | H1533 |
| Nature of defibrillation: determinism versus probabilism <i>O. C. Deale, R. C. Wesley, Jr., D. Morgan, and B. B. Lerman</i> | H1544 |
| Age-related cerebrovascular response to global ischemia in pigs <i>J. R. Kirsch, M. A. Helfaer, K. Blizzard, T. J. K. Toung, and R. J. Traystman</i> | H1551 |
| Myocardial electrophysiological effects of vasoactive intestinal peptide in dogs <i>A. C. Kralios, F. L. Anderson, and F. A. Kralios</i> | H1559 |
| Metabolic and functional consequences of barium-induced contracture in rabbit myocardium <i>T. Shibata, M. R. Berman, W. C. Hunter, and W. E. Jacobus</i> | H1566 |
| β -Receptor subtypes in the canine coronary circulation <i>M. G. Trivella, T. P. Broten, and E. O. Feigl</i> | H1575 |
| Evidence for protein kinase C involvement in arteriolar myogenic reactivity <i>M. A. Hill, J. C. Falcone, and G. A. Meininger</i> | H1586 |
| Influence of atrial natriuretic factor on intravascular volume displacement in pigs <i>D. L. Rutlen, G. Christensen, K. G. Helgesen, and A. Ilebekk</i> | H1595 |

SPECIAL COMMUNICATIONS

| | |
|---|-------|
| Analysis of thermopile records from contracting isolated cardiac muscle <i>F. Mast, R. C. Woledge, and G. Elzinga</i> | H1601 |
| Coronary resistance increase by nondefatted albumin in saline-perfused rabbit hearts <i>J. H. G. M. van Beek, P. Bouma, and N. Westerhof</i> | H1606 |

RAPID COMMUNICATIONS

| | |
|--|-------|
| Quinidine blocks adenosine 5'-triphosphate-sensitive potassium channels in heart <i>A. I. Undrovinas, N. Burnashev, D. Eroshenko, I. Fleidervish, C. F. Starmer, J. C. Makielski, and L. V. Rosenshtraukh</i> | H1609 |
| Circulatory effects of endothelin in newborn piglets <i>L. M. Bradley, J. F. Czaja, and R. E. Goldstein</i> | H1613 |

WALTER B. CANNON LECTURE

| | |
|--|-------|
| Introduction | H1619 |
| Regulation of heartbeat by G protein-coupled ion channels <i>A. M. Brown</i> | H1621 |
| <hr/> | |
| Hemodynamics, fluid volume, and hormonal responses to chronic high-salt intake in dogs <i>J. E. Krieger, J.-F. Liard, and A. W. Cowley, Jr.</i> | H1629 |
| Ontogeny of adenosine response in guinea pig heart and aorta <i>G. P. Matherne, J. P. Headrick, and R. M. Berne</i> | H1637 |
| Effects of ANP-(95-126) in dogs before and after induction of heart failure <i>G. A. J. Riegger, D. Elsner, W.-G. Forssmann, and E. P. Kromer</i> | H1643 |
| Regional blood flow in transected rat spinal cord during hypothermia <i>T. Sakamoto, A. Iwai, and W. W. Monafo</i> | H1649 |
| No conversion of xanthine dehydrogenase to oxidase in canine cerebral ischemia <i>R. B. Mink, A. J. Dutka, K. K. Kumaroo, and J. M. Hallenbeck</i> | H1655 |
| Time course and mechanism of endothelial dysfunction in isolated ischemic- and hypoxic-perfused rat hearts <i>P. S. Tsao and A. M. Lefer</i> | H1660 |
| Coronary and myocardial adaptations to high altitude in dogs <i>K. W. Scheel, E. Seavey, J. F. Gaugl, and S. E. Williams</i> | H1667 |
| Hemodynamic and sympathetic effects of spinal administration of neuropeptide Y in rats <i>X. Chen, M. M. Knuepfer, and T. C. Westfall</i> | H1674 |
| Late-onset renal hypertension in old rats alters myocardial microvessels <i>R. J. Tomanek, M. R. Aydelotte, and C. A. Butters</i> | H1681 |
| Abluminal effects of endothelin in cerebral microvasculature assessed by laser-Doppler flowmetry <i>R. N. Willette and C. F. Sauermelech</i> | H1688 |
| Influence of hemoconcentration on arteriolar oxygen transport in hamster striated muscle <i>L. Kuo and R. N. Pittman</i> | H1694 |
| Role of adenosine in regulation of regional cerebral blood flow in sensory cortex <i>K. R. Ko, A. C. Ngai, and H. R. Winn</i> | H1703 |
| Effects of neuropeptide Y on regulation of blood flow rate in canine myocardium <i>J. H. Svendsen, S. P. Sheikh, J. Jorgensen, J. D. Mikkelsen, W. P. Paaske, P. Sejrson, and S. Haunsø</i> | H1709 |
| Nicotine-induced skeletal muscle vasodilation is mediated by release of epinephrine from nerve terminals <i>J. N. Diana, S. Qian, C. M. Heesch, K. W. Barron, and C.-Y. Chien</i> | H1718 |
| Acetylcholine-sensitive potassium channels in human atrial myocytes <i>R. Sato, I. Hisatome, J. A. Wasserstrom, C. E. Arentzen, and D. H. Singer</i> | H1730 |
| Regulation of plasma ANF after increases in afterload in conscious dogs <i>J. M. Stewart, J. Wang, A. Singer, G. A. Zeballos, M. Ochoa, M. B. Patel, M. H. Gewitz, and T. H. Hintze</i> | H1736 |
| Direct electrophysiological actions of pentobarbital at concentrations achieved during general anesthesia <i>S. Nattel, Z. Wang, and C. Matthews</i> | H1743 |
| Central angiotensinergic system and hypertonic resuscitation from severe hemorrhage <i>I. T. Velasco, R. C. Baena, M. Rocha e Silva, and M. I. Loureiro</i> | H1752 |
| ATP depletion and mitochondrial functional loss during ischemia in slow and fast heart-rate hearts <i>W. Rouslin, C. W. Broge, and I. L. Grupp</i> | H1759 |

| | |
|--|-------|
| ²³ Na-NMR measurements of intracellular sodium in intact perfused ferret hearts during ischemia and reperfusion <i>M. M. Pike, M. Kitakaze, and E. Marban</i> | H1767 |
| Inhibition of lipoxygenase pathway reduces blood pressure in renovascular hypertensive rats <i>K. Nozawa, M. L. Tuck, M. Golub, P. Eggena, J. L. Nadler, and N. Stern</i> | H1774 |
| Heart and brain nucleotide pools during hemorrhage and resuscitation <i>J. W. Horton and G. McDonald</i> | H1781 |
| Vascular mechanics of venous drainage in dog hindlimbs <i>S. Magder</i> | H1789 |
| Skin vascular bed is a potential blood reservoir during heat stress <i>A. Deschamps and S. Magder</i> | H1796 |
| Differential effects of caffeine on skinned fibers from control and hypertrophied ferret hearts <i>S. Baudet and R. Ventura-Clapier</i> | H1803 |
| Neutrophils accumulate and contribute to skeletal muscle dysfunction after ischemia-reperfusion <i>D. L. Walden, H. J. McCutchan, E. G. Enquist, J. R. Schwappach, P. F. Shanley, O. K. REiss, L. S. Terada, J. A. Leff, and J. E. Repine</i> | H1809 |
| L-Arginine-dependent vascular smooth muscle relaxation and cGMP formation <i>M. E. Gold, K. S. Wood, R. E. Byrns, G. M. Buga, and L. J. Ignarro</i> | H1813 |
| Inhibition of protein synthesis does not block myocardial protection afforded by preconditioning <i>J. Thornton, S. Striplin, G. S. Liu, A. Swafford, A. W. H. Stanley, D. M. Van Winkle, and J. M. Downey</i> | H1822 |
| Proliferation in vivo and in culture of differentiated adult atrial cardiomyocytes from transgenic mice <i>M. E. Steinhilper, N. A. Lanson, Jr., K. P. Dresdner, J. B. Delcarpio, A. L. Wit, W. C. Claycomb, and L. J. Field</i> | H1826 |
| Vasodilation induced by endothelin: role of EDRF and prostanoids in rat hindquarters <i>E. H. Ohlstein, L. Vickery, C. Sauermelch, and R. N. Willette</i> | H1835 |
| Effects of extracellular Mg ²⁺ on T- and L-type Ca ²⁺ currents in single atrial myocytes <i>J. Wu and S. L. Lipsius</i> | H1842 |
| Intracellular calcium and high-energy phosphates in isolated cardiac myocytes <i>J. E. Doeller and B. A. Wittenberg</i> | H1851 |
| Effects of skeletal muscle fiber deformation on lymphatic volumes <i>M. C. Mazzoni, T. C. Skalak, and G. W. Schmid-Schönbein</i> | H1860 |
| Effect of wall stretch on coronary hemodynamics in isolated canine interventricular septum <i>J. Resar, J. Z. Livingston, H. R. Halperin, P. Sipkema, R. Krams, and F. C. P. Yin</i> | H1869 |
| Lanthanum blocks a specific component of I _K and screens membrane surface charge in cardiac cells <i>M. C. Sanguinetti and N. K. Jurkiewicz</i> | H1881 |
| Myogenic responses of isolated arterioles: test for a rate-sensitive mechanism <i>M. J. Davis and P. J. Sikes</i> | H1890 |
| Iron-mediated radical reactions upon reperfusion contribute to myocardial "stunning" <i>R. Bolli, B. S. Patel, M. O. Jeroudi, X.-Y. Li, J. F. Triana, E. K. Lai, and P. B. McCay</i> | H1901 |

SPECIAL COMMUNICATIONS

| | |
|--|-------|
| Determination of microvascular oxyhemoglobin saturations using cryospectrophotometry <i>B. M. Fenton and T. E. J. Gayeski</i> | H1912 |
|--|-------|

RAPID COMMUNICATIONS

| | |
|--|-------|
| Role of endothelium-derived relaxing factor during transition of pulmonary circulation at birth <i>S. H. Abman, B. A. Chatfield, S. L. Hall, and I. F. McMurtry</i> | H1921 |
|--|-------|

Endothelin release is inhibited by coculture of endothelial cells with cells of vascular media

D. J. Stewart, D. Langleben, P. Cernacek, and K. Cianflone

H1928

LETTERS TO THE EDITOR

Membrane cholesterol and cellular calcium uptake

P. D. Henry and T. N. Tulenko

H1933

Myocardial modulation of coronary circulation

J. Y. Kresh, N. Westerhof, P. Sipkema, and R. Krams

H1934

Subject Index to Volume 28

H1939

Author Index to Volume 28

H1951

CORRIGENDA

Volume 256, April 1989

Volume 25, April 1989

Page H1194: K. D. Massey and K. P. Burton. " α -Tocopherol attenuates myocardial membrane-related alterations resulting from ischemia and reperfusion." The second sentence under RESULTS, *Tocopherol levels*, should read: "Tissue tocopherol levels were 20.2 ± 1.6 $\mu\text{g/g}$ wet tissue ($n = 9$) in nontreated controls compared with 30.4 ± 0.8 $\mu\text{g/g}$ wet tissue ($n = 11$) in vitamin E pellet-treated hearts ($P < 0.001$)"

Volume 258, April 1990

Volume 27, April 1990

Page H1175: T. M. Griffith and D. H. Edwards. "Myogenic autoregulation of flow may be inversely related to endothelium-derived relaxing factor activity." In Fig. 4, the correct values of conductance are exactly $1/100$ smaller than those originally shown. In the second and third line of the left-hand column, the unit of incremental conductance is mmHg^{-1} , not $\text{mmHg} \cdot \text{min} \cdot \text{ml}^{-1}$.

American Journal of Physiology: Regulatory, Integrative and Comparative Physiology

KEY TO CATEGORIES: 1. Comparative Physiology *Regulation and Integration in:* 2. Autonomic Physiology;
3. Behavior; 4. Cardiovascular Physiology; 5. Endocrinology; 6. Energetics; 7. Fluids and
Electrolytes; 8. Functional Morphology; 9. Ingestion; 10. Periodicity; 11. Respiration;
12. Temperature

No. 1. JULY 1990

CATEGORY

- | | |
|---|------|
| A feverlike response inhibits expression of delayed-type hypersensitivity in rats <i>M. Banet</i> | R1 |
| Effect of intrarenal renin inhibition on renal hemodynamics and excretory function <i>K. M. Verburg, J. R. C. Kadam, G. A. Young, S. H. Rosenberg, and H. D. Kleinert</i> | R7 |
| Force and acid-base state of turtle cardiac tissue exposed to combined anoxia and acidosis <i>J. S. Wasser, E. V. Freund, L. A. Gonzalez, and D. C. Jackson</i> | R15 |
| Effect of human pregnancy on metabolic clearance rate of oxytocin <i>S. Thornton, J. M. Davison, and P. H. Baylis</i> | R21 |
| Short-term hormonal responses to food intake in the peripubertal female rat <i>F. H. Bronson and P. D. Heideman</i> | R25 |
| Cardiovascular effects of microinjection of ANF and brain natriuretic peptide into ventrolateral medulla <i>R. Ermirio, G. L. Avanzino, P. Ruggeri, M. Bergaglio, and F. R. Calaresu</i> | R32 |
| Interleukin 1 and endotoxin activate soluble guanylate cyclase in vascular smooth muscle <i>D. Beasley</i> | R38 |
| Site of action of putative lipostatic factor: food intake and peripheral pentose shunt activity <i>R. B. S. Harris and R. J. Martin</i> | R45 |
| Antidiuretic effect of subnormal levels of arginine vasopressin in normal humans <i>L. J. Andersen, J. L. Andersen, H. J. Schütten, J. Warberg, and P. Bie</i> | R53 |
| Underlying mechanisms of atrophic state of brown adipose tissue in obese Zucker rats <i>J. Seydoux, R. H. Benzi, M. Shibata, and L. Girardier</i> | R61 |
| Mechanisms of impaired excretion of a fluid load after cardiac denervation in dogs <i>T. D. M. Williams, C. M. Travill, M. I. M. Noble, A. J. Drake-Holland, J. Chalmers, C. D. Jeffery, R. Sutton, and S. L. Lightman</i> | R70 |
| Parasympathetic impairment of baroreflex control of heart rate in Dahl S rats <i>S. A. Whitescarver, C. E. Ott, and T. A. Kotchen</i> | R76 |
| 4,5,7 Effect of converting-enzyme inhibition on renal response to ANF in rats with experimental heart failure <i>Z. Abassi, A. Haramati, A. Hoffman, J. C. Burnett, Jr., and J. Winaver</i> | R84 |
| Norepinephrine turnover in brown adipose tissue of young rats: effects of rearing temperature <i>R. Bertin, I. Mouroux, F. De Marco, and R. Portet</i> | R90 |
| Atrial natriuretic factor modulates whole kidney tubuloglomerular feedback <i>K. B. Margulies and J. C. Burnett, Jr.</i> | R97 |
| 4,5,7 Role of aldosterone in angiotensin II-induced hypertension in rats <i>N. L. Kanagy, C. M. Pawloski, and G. D. Fink</i> | R102 |
| Intraduodenal infusions of fats elicit satiety in sham-feeding rats <i>D. Greenberg, G. P. Smith, and J. Gibbs</i> | R110 |
| Renal responses to graded hemorrhage in conscious pig <i>J. L. Sondeen, G. A. Gonzaludo, J. A. Loveday, G. E. Deshon, C. B. Clifford, M. M. Hunt, W. G. Rodkey, and C. E. Wade</i> | R119 |
| Plasma profiles of IL-6 and TNF with fever-inducing doses of lipopolysaccharide in dogs <i>D. R. LeMay, L. G. LeMay, M. J. Kluger, and L. G. D'Alecy</i> | R126 |

| | | |
|--------|--|------|
| 1 | Halothane sensitivity of young pigs in vivo and in vitro <i>R. S. Fay and E. M. Gallant</i> | R133 |
| | Control of interbreath interval in the African lungfish <i>A. I. Pack, R. J. Galante, and A. P. Fishman</i> | R139 |
| | Sodium-coupled organic anion transport by <i>Cancer borealis</i> urinary bladder <i>P. M. Smith, D. S. Miller, and J. B. Pritchard</i> | R147 |
| 5,9,10 | Feeding influences plasma cortisol levels during preweaning life in baboons <i>D. S. Lewis and E. M. Jackson</i> | R157 |
| 4,6,11 | Influence of increased metabolic rate on [¹³ C]bicarbonate washout kinetics <i>T. J. Barstow, D. M. Cooper, E. M. Sobel, E. M. Landaw, and S. Epstein</i> | R163 |

MODELING METHODOLOGY FORUM

| | | |
|-----|---|------|
| 4,7 | Improved method for estimating Ca uptake in vascular smooth muscle using compartmental analysis <i>H. A. Massaldi, J. Copello, A. Müller, and M. F. Villamil</i> | R172 |
|-----|---|------|

RAPID COMMUNICATIONS

| | | |
|---|---|------|
| 5 | Reduced adipin mRNA and circulating adipin protein are modulated by adrenai steroids in obese Zucker rats <i>P. R. Johnson, B. Spiegelman, B. Rosen, I. Turkenkopf, H. Ree, and M. R. C. Greenwood</i> | R184 |
|---|---|------|

No. 2. AUGUST 1990

CATEGORY

MUSCLE AND TEMPERATURE

| | | |
|--------|--|------|
| | Introduction: Influence of temperature on muscle and locomotor performance <i>L. C. Rome and A. F. Bennett</i> | R189 |
| 3,12,1 | Effects of temperature on nervous system: implications for behavioral performance <i>J. C. Montgomery and J. A. MacDonald</i> | R191 |
| 6 | Influence of temperature on mechanics and energetics of muscle contraction <i>J. A. Rall and R. C. Woledge</i> | R197 |
| | Effects of temperature and concomitant change in pH on muscle <i>E. D. Stevens and R. E. Godt</i> | R204 |
| | Influence of temperature on muscle recruitment and muscle function in vivo <i>L. C. Rome</i> | R210 |
| 1,8,12 | Deactivation rate and shortening velocity as determinants of contractile frequency <i>R. L. Marsh</i> | R223 |
| | Thermal acclimation and muscle contractile properties in cyprinid fish <i>I. A. Johnston, J. D. Fleming, and T. Crockford</i> | R231 |
| | Mechanisms of temperature acclimation in the carp: a molecular biology approach <i>G.-F. Gerlach, L. Turay, K. T. A. Malik, J. Lida, A. Scutt, and G. Goldspink</i> | R237 |
| | Functional significance of metabolic responses to thermal acclimation in fish muscle <i>H. Guderley</i> | R245 |
| 1,12,3 | Thermal dependence of locomotor capacity <i>A. F. Bennett</i> | R253 |
| | Muscle temperature of mammals: cooling impairs most functional properties <i>J. A. Faulkner, E. Zerba, and S. V. Brooks</i> | R259 |
| 5,12,2 | Lipocortin 1 fragment modifies pyrogenic actions of cytokines in rats <i>F. Carey, R. Forder, M. D. Edge, A. R. Greene, M. A. Horan, P. J. L. M. Strijbos, and N. J. Rothwell</i> | R266 |
| 10,12 | Development of circadian cycle of core temperature in juvenile rats <i>B. Nuesslein and I. Schmidt</i> | R270 |

| | | |
|--------|---|------|
| | Metabolic characteristics of cat kidney: failure to adapt to metabolic acidosis <i>G. Lemieux, C. Lemieux, S. Duplessis, and J. Berkofsky</i> | R277 |
| 2,4,11 | Sleep apneas and cardiac arrhythmias in freely moving rats <i>T. Sato, H. Saito, K. Seto, and H. Takatsuji</i> | R282 |
| 2,4,8 | Presynaptic modulation of ganglionic ACh release by muscarinic and nicotinic receptors <i>Z. Dujic, D. L. Roerig, H. K. Schedewie, J. P. Kampine, and Z. J. Bosnjak</i> | R288 |
| 4,5,7 | ADH, renal, and circulatory responses to adrenergic stimulation in anterior third ventricle <i>C. Simon-Oppermann and O. Günther</i> | R294 |
| 4,5 | Cerebral metabolic and hormonal activations during hemorrhage in sinoaortic-denervated rats <i>M. Kadekaro, J. Y. Summy-Long, M. L. Terrell, H. Lekan, H. E. Gary, Jr., and H. M. Eisenberg</i> | R305 |
| | Continuous servo-controlled replacement of urinary sodium loss in conscious dogs <i>S. E. Andersen and P. Bie</i> | R313 |
| 3,9 | Effect of fourth ventricular neuropeptide Y and peptide YY on ingestive and other behaviors <i>E. S. Corp, L. D. Melville, D. Greenberg, J. Gibbs, and G. P. Smith</i> | R317 |
| 2,6,12 | Capsaicin desensitization induces atrophy of brown adipose tissue in rats <i>J. Cui, G. Zaror-Behrens, and J. Himms-Hagen</i> | R324 |
| | Avian basal metabolic rates: their association with body composition and energy expenditure in nature <i>S. Daan, D. Masman, and A. Groenewold</i> | R333 |
| 1,5,10 | Armenian hamster female protein: a pentraxin under complex regulation <i>J. E. Coe and M. J. Ross</i> | R341 |
| 5,7 | Progesterone-cortisol interaction in control of renin activity but not aldosterone <i>M. Keller-Wood, J. Silbiger, and C. E. Wood</i> | R350 |
| 2,4 | Microinjection of substance P and ACh into rat intermediolateral nucleus elicits cardiovascular responses <i>F. R. Calaresu, D. J. McKittrick, and E. J. Weernink</i> | R357 |
| 4,7,9 | Relationship between thirst and diazoxide-induced hypotension in rats <i>M. D. Evered</i> | R362 |
| 2,4 | Noradrenergic and neuropeptide Y mechanisms in guanethidine-sympathectomized rats <i>E. E. Benarroch, J. D. Schmelzer, K. K. Ward, D. K. Nelson, and P. A. Low</i> | R371 |
| 1,6,11 | Changes in turtle brain neurotransmitters and related substances during anoxia <i>G. E. Nilsson, A. A. Alfaro, and P. L. Lutz</i> | R376 |
| 1,10 | Seasonal changes in mucosal structure and function in ground squirrel intestine <i>H. V. Carey</i> | R385 |

No. 3. SEPTEMBER 1990

CATEGORY

EDITORIAL REVIEW

| | | |
|--|---|------|
| | Growth regulation of the vascular system: evidence for a metabolic hypothesis <i>T. H. Adair, W. J. Gay, and J.-P. Montani</i> | R393 |
|--|---|------|

| | | |
|-------|--|------|
| 2,4,5 | Central effects of substance P and somatostatin in conscious, streptozotocin-treated rats <i>K. C. Tomlinson, S. M. Gardiner, and T. Bennett</i> | R405 |
| 7,9 | Calcium deprivation increases salt intake <i>M. G. Tordoff, P. M. Ulrich, and J. Schulkin</i> | R411 |
| | Large synergism between monosodium glutamate and 5'-nucleotides in canine taste nerve responses <i>T. Kumazawa and K. Kurihara</i> | R420 |
| | Integrated autonomic and behavioral responses to L/N Ca ²⁺ -channel blocker ω -conotoxin in conscious rats <i>S. Shapira, O. M. Adeyemo, and G. Feuerstein</i> | R427 |

| | | |
|--------|---|------|
| 3,5,12 | Interleukin 1 α and an interleukin 1 β fragment are somnogenic <i>F. Obal, Jr., M. Opp, A. B. Cady, L. Johannsen, A. E. Postlethwaite, H. M. Poppleton, J. M. Seyer, and J. M. Krueger</i> | R439 |
| | Effects of glucoprivation on gastric motility and pituitary oxytocin secretion in rats <i>R. K. Cato, L. M. Flanagan, J. G. Verbalis, and E. M. Stricker</i> | R447 |
| 4 | Ca ²⁺ transport in myocardial sarcolemma from rainbow trout <i>G. F. Tibbits, H. Kashiwara, M. J. Thomas, J. E. Keen, and A. P. Farrell</i> | R453 |
| 6,3,9 | Energy expenditure and subsequent nutrient intakes in overfed young men <i>S. B. Roberts, V. R. Young, P. Fuss, M. A. Fiatarone, B. Richard, H. Rasmussen, D. Wagner, L. Joseph, E. Holehouse, and W. J. Evans</i> | R461 |
| 2,5,6 | Hypothalamic adrenoceptors mediate sympathoadrenal activity in exercising rats <i>A. J. W. Scheurink, A. B. Steffens, and R. P. A. Gaykema</i> | R470 |
| 2,5,6 | Paraventricular hypothalamic adrenoceptors and energy metabolism in exercising rats <i>A. J. W. Scheurink, A. B. Steffens, and R. P. A. Gaykema</i> | R478 |
| 3,6,9 | Physiological correlates of schedule-induced activities in rats <i>G. Mittleman, J. Brener, and T. W. Robbins</i> | R485 |
| 11,12 | Body temperature effects on hypoxic and hypercapnic responses in awake rats <i>M. Maskrey</i> | R492 |
| 2,4,10 | Mechanism of cardiac-related synchronized cardiac sympathetic nerve activity in awake cats <i>I. Ninomiya, T. Akiyama, and N. Nishiura</i> | R499 |
| 4,7 | Brain histamine regulates pressor responses to peripheral hyperosmolality <i>V. F. Akins and S. L. Bealer</i> | R507 |
| | Daily injections of triazolam induce long-term changes in hamster circadian period <i>O. Van Reeth and F. W. Turek</i> | R514 |
| 1,4 | ³¹ P-NMR measurements of pH _i and high-energy phosphates in isolated turtle hearts during anoxia and acidosis <i>J. S. Wasser, K. C. Inman, E. A. Arendt, R. G. Lawler, and D. C. Jackson</i> | R521 |
| | Circulating angiotensin II and drinking behavior in rats <i>C. M. Pawloski and G. D. Fink</i> | R531 |
| | Effects of antiglucocorticoid RU 486 on development of obesity in obese <i>fa/fa</i> Zucker rats <i>S. C. Langley and D. A. York</i> | R539 |
| | Human serum and plasma have different sources of epidermal growth factor <i>A. Lev-Ran, D. L. Hwang, and D. S. Snyder</i> | R545 |
| | Relationships between activity of sympathetic nerve pairs: phase and coherence <i>B. Kocsis, G. L. Gebber, S. M. Barman, and M. J. Kenney</i> | R549 |
| | Coherence of medullary unit activity and sympathetic nerve discharge <i>G. L. Gebber, S. M. Barman, and B. Kocsis</i> | R561 |
| | Forebrain rhythm generators influence sympathetic activity in anesthetized cats <i>M. J. Kenney, G. L. Gebber, S. M. Barman, and B. Kocsis</i> | R572 |
| 3,5,6 | Hypothalamic paraventricular nucleus lesions do not prevent anorectic effect of exercise in male rats <i>S. Rivest and D. Richard</i> | R579 |
| 4,7 | Intrarenal atrial natriuretic peptide infusion lowers arterial pressure chronically <i>D. A. Hildebrandt, H. L. Mizelle, M. W. Brands, C. A. Gaillard, M. J. Smith, Jr., and J. E. Hall</i> | R585 |
| 7,5,4 | Osmoresponsive units in sheep median preoptic nucleus <i>R. M. McAllen, G. L. Pennington, and M. J. McKinley</i> | R593 |
| | Permeability changes at blood-retinal barrier in diabetes and effect of aldose reductase inhibition <i>S. Lightman, G. Pinter, L. Yuen, and M. Bradbury</i> | R601 |
| 2,4 | Discharge patterns of ventrolateral medullary neurons during muscular contraction <i>R. M. Bauer, G. A. Iwamoto, and T. G. Waldrop</i> | R606 |
| 5,9,10 | β -Cell hyperresponsiveness: earliest event in development of diabetes in monkeys <i>B. C. Hansen and N. L. Bodkin</i> | R612 |

| | | |
|-------|--|------|
| 4,5,7 | Effects of baroreceptor denervation on endocrine and drinking responses to caval constriction in dogs <i>E. W. Quillen, Jr., L. C. Keil, and I. A. Reid</i> | R618 |
| | Serotonin ₁ receptor antagonists block anorectic responses to amino acid imbalance <i>V. A. Hammer, D. W. Gietzen, J. L. Beverly, and Q. R. Rogers</i> | R627 |
| | Regulation of renal pelvic pressure by diuresis and micturition <i>J. C. Djurhuus, J. Frokjaer, T. M. Jorgensen, L. Knudsen, T. Pham, and C. E. Constantinou</i> | R637 |
| | Preheparinization improves organ function after hemorrhage and resuscitation <i>P. Wang, G. Singh, M. W. Rana, Z. F. Ba, and I. H. Chaudry</i> | R645 |
| | Characterization of feeding behavior induced by central injection of GRF <i>P. R. Dickson and F. J. Vaccarino</i> | R651 |

RAPID COMMUNICATIONS

| | | |
|-------|---|------|
| 2,9,1 | Accelerated gastric emptying in VMH-lesioned rats is secondary to excess weight gain <i>R. M. Black, K. L. Conover, and H. P. Weingarten</i> | R658 |
|-------|---|------|

No. 4. OCTOBER 1990

CATEGORY

EDITORIAL REVIEW

| | | |
|-------|--|------|
| 1,5,4 | Hemorrhage and resuscitation: immunological aspects <i>I. H. Chaudry, A. Ayala, W. Ertel, and R. N. Stephan</i> | R663 |
|-------|--|------|

| | | |
|--------|--|------|
| 5,9,10 | A method for continual monitoring of bone resorption in rats: evidence for a diurnal rhythm <i>R. C. Mühlbauer and H. Fleisch</i> | R679 |
| 4,5,7 | Role of vasopressin in renal vascular changes with hypoxemia and hypercapnic acidosis in conscious dogs <i>C. E. Rose, Jr., N. V. Ragsdale, and R. M. Carey</i> | R690 |
| 5 | Fetal endocrine responses to prolonged hypoxemia in sheep <i>S. B. Hooper, C. L. Coulter, J. M. Deayton, R. Harding, and G. D. Thorburn</i> | R703 |
| 3,9,10 | Effect of dietary limiting amino acid in prepyriform cortex on food intake <i>J. L. Beverly, D. W. Gietzen, and Q. R. Rogers</i> | R709 |
| 3,9,10 | Effect of dietary limiting amino acid in prepyriform cortex on meal patterns <i>J. L. Beverly, D. W. Gietzen, and Q. R. Rogers</i> | R716 |
| 12 | Roles of interleukin 1 β and tumor necrosis factor in lipopolysaccharide fever in rats <i>N. C. Long, I. Otterness, S. L. Kunkel, A. J. Vander, and M. J. Kluger</i> | R724 |
| 3,5,7 | Angiotensin and salt appetite of BALB/c mice <i>D. A. Denton, J. R. Blair-West, M. McBurnie, P. G. Osborne, E. Tarjan, R. M. Williams, and R. S. Weisinger</i> | R729 |
| 3,5,7 | Effect of angiotensin-converting enzyme inhibitor on salt appetite and thirst of BALB/c mice <i>R. S. Weisinger, J. R. Blair-West, D. A. Denton, M. McBurnie, F. Ong, E. Tarjan, and R. M. Williams</i> | R736 |
| 3,7,9 | Decreased cerebral sodium concentration and sodium appetite in BALB/c mice <i>P. G. Osborne, J. R. Blair-West, D. A. Denton, M. McBurnie, E. Tarjan, R. M. Williams, and R. S. Weisinger</i> | R741 |
| 7,5 | Endocrine and fluid-balance responses to amniotic and allantoic fluid loss in sheep <i>K. A. Dickson, S. B. Hooper, I. C. McMillen, and R. Harding</i> | R745 |
| 1,4,2 | Norepinephrine sensitivity of mesenteric veins in pregnant rats <i>M. Hohmann, T. M. Keve, G. Osol, and M. K. McLaughlin</i> | R753 |
| 1,5,12 | Testosterone influences hibernation in golden-mantled ground squirrels <i>T. M. Lee, K. Pelz, P. Licht, and I. Zucker</i> | R760 |
| 2,5,12 | Acute phase response to endotoxin: rise in plasma α -MSH and effects of α -MSH injection <i>L. W. Martin and J. M. Lipton</i> | R768 |

| | | |
|-------|--|------|
| 3,6,5 | Effects of stress and exercise on rat hippocampus and striatum extracellular lactate <i>L. A. De Bruin, E. M. C. Schasfoort, A. B. Steffens, and J. Korf</i> | R773 |
| 4 | Effect of outflow pressure on liver lymph flow in unanesthetized sheep <i>R. E. Drake and J. C. Gabel</i> | R780 |
| 7,2,9 | Functional recovery of the gustatory system after sodium deprivation during development: how much sodium and where <i>P. Przekop, Jr., D. G. Mook, and D. L. Hill</i> | R786 |
| 4,2,7 | Baroreflex responses to acute changes in blood volume in humans <i>C. A. Thompson, D. L. Tatro, D. A. Ludwig, and V. A. Convertino</i> | R792 |
| 2,5 | Preoptic area injection of corticotropin-releasing hormone stimulates sympathetic activity <i>M. Egawa, H. Yoshimatsu, and G. A. Bray</i> | R799 |
| 1,6 | Calorimetric study of the energetics of pregnancy in golden hamsters <i>V. S.-H. Quek and P. Trayhurn</i> | R807 |
| 2,4,5 | Atrial natriuretic peptide infusion causes vasoconstriction after autonomic blockade in conscious dogs <i>R. L. Woods and W. P. Anderson</i> | R813 |
| 3,5,9 | Insulin modifies flavor aversions and preferences in real- and sham-feeding rats <i>D. A. Vanderweele, R. Oetting Deems, and R. B. Kanarek</i> | R823 |
| 6,9,3 | Dissociative analysis of ventromedial hypothalamic obesity syndrome <i>W. L. Parkinson and H. P. Weingarten</i> | R829 |
| 2,11 | Control of ventilation in adult rats hypoxic in the neonatal period <i>S. Okubo and J. P. Mortola</i> | R836 |
| 2,4,9 | Diminished cardiovascular responsiveness to vagal stimulation in obese rats <i>R. D. Buñag, D. Krizsan, and H. Itoh</i> | R842 |
| 1,2,4 | Responses of harbor seal and pig heart to progressive and acute hypoxia <i>F. C. White, R. Elsner, D. Willford, E. Hill, and E. Merhoff</i> | R849 |
| 1,5,7 | Cortisol directly stimulates differentiation of chloride cells in tilapia opercular membrane <i>S. D. McCormick</i> | R857 |

No. 5. NOVEMBER 1990

CATEGORY

INVITED REVIEW

| | | |
|---|---|------|
| 4 | Long-term arterial pressure control: an analysis from animal experiments and computer and graphic models <i>A. C. Guyton</i> | R865 |
|---|---|------|

RESPIRATORY RECEPTORS

| | | |
|---|---|------|
| Introduction: Receptors in control of breathing in vertebrates <i>M. R. Fedde and W. K. Milsom</i> | | R878 |
| 2,11 | Neurogenesis of respiratory rhythm and pattern: emerging concepts <i>J. L. Feldman, J. C. Smith, H. H. Ellenberger, C. A. Connelly, G. Liu, J. J. Greer, A. D. Lindsay, and M. R. Otto</i> | R879 |
| 1,11 | Chemoreceptor modulation of endogenous respiratory rhythms in vertebrates <i>N. J. Smatresk</i> | R887 |
| 11,1 | Mechanoreceptor modulation of endogenous respiratory rhythms in vertebrates <i>W. K. Milsom</i> | R898 |
| 1,10,11 | Receptor interactions in modulating ventilatory activity <i>G. S. Mitchell, M. A. Douse, and K. T. Foley</i> | R911 |
| 5,7 | Catecholamines depress endolymphatic sac direct current potential in guinea pigs <i>N. Mori, N. Uozumi, and S.-I. Sakai</i> | R921 |
| 2 | Role of calcium channels and protein kinase C for release of norepinephrine and neuropeptide Y <i>M. Haass, C. Förster, G. Richardt, R. Kranzhöfer, and A. Schömig</i> | R925 |

| | | |
|--------|--|-------|
| 5,9,10 | Circadian rhythm in recognition threshold of salt taste in healthy subjects <i>A. Fujimura, H. Kajiyama, T. Tateishi, and A. Ebihara</i> | R931 |
| 7 | Net basolateral potassium flux and short-circuit current in ouabain-treated frog skin <i>T. C. Cox and R. E. Woods</i> | R936 |
| 2,3,4 | Neurons controlling cardiovascular responses to emotion are located in lateral hypothalamus-perifornical region <i>O. A. Smith, J. L. DeVito, and C. A. Astley</i> | R943 |
| 2,4 | Mechanisms of pressor response produced by stimulation of nucleus ambiguus <i>B. H. Machado and M. J. Brody</i> | R955 |
| 2,4 | Single-unit responses of serotonergic neurons to vasoactive drug administration in behaving cats <i>C. A. Fornal, W. J. Litto, D. A. Morilak, and B. L. Jacobs</i> | R963 |
| 5,7 | Atrial natriuretic factor and blood pressure control: role of sodium and aldosterone <i>C. A. Gaillard, H. L. Mizelle, J.-P. Montani, M. W. Brands, D. A. Hildebrandt, and J. E. Hall</i> | R973 |
| 2,4 | Baroreflex sensitivity in the canine model of obesity-induced hypertension <i>K. E. Wehberg, D. B. West, C. Kieswetter, and J. P. Granger</i> | R981 |
| 1,6 | Quantitative genetics of maximal oxygen consumption in a garter snake <i>T. Garland, Jr., and A. F. Bennett</i> | R986 |
| 5,12 | Induction of plasma inhibitors of interleukin 1 and TNF- α activity by endotoxin administration to normal humans <i>G. A. Spinaz, D. Bloesch, M.-T. Kaufmann, U. Keller, and J.-M. Dayer</i> | R993 |
| 2,5 | Diminished epinephrine response to hypoglycemia despite enlarged adrenal medulla in trained rats <i>B. Stallknecht, M. Kjær, K. J. Mikines, L. Maroun, T. Ploug, T. Ohkuwa, J. Vinten, and H. Galbo</i> | R998 |
| 4,7 | Effects of reduced uterine blood flow on fetal cardiovascular, renal, and lung function <i>A. D. Stevens and E. R. Lumbers</i> | R1004 |
| 4,7 | Salt sensitivity in hypertensive rats with angiotensin II administration <i>K. Ando, Y. Sato, and T. Fujita</i> | R1012 |
| 4,7,5 | Role of atrial appendages in modulating stimulated plasma atrial natriuretic peptide levels in conscious rats <i>A. Hoffman, E. Grossman, and H. R. Keiser</i> | R1017 |
| 4,5,7 | Role of central mineralocorticoid binding sites in development of hypertension <i>P. C. Janiak, S. J. Lewis, and M. J. Brody</i> | R1025 |
| 3,9,10 | Light-dark cycle modulates drinking to homeostatic challenges <i>R. F. Johnson and A. K. Johnson</i> | R1035 |
| 5,6,12 | Stimulatory effects of cold exposure and cold acclimation on glucose uptake in rat peripheral tissues <i>A. L. Vallerand, F. Pérusse, and L. J. Bukowiecki</i> | R1043 |
| 2,5,7 | Role of renal sympathetic nerves in response of the ovine fetus to volume expansion <i>F. G. Smith, T. Sato, O. J. McWeeny, J. M. Klinkefus, and J. E. Robillard</i> | R1050 |
| 2,5,12 | Vasopressin and oxytocin in rat brain in response to prostaglandin fever <i>R. Landgraf, T. J. Malkinson, W. L. Veale, K. Lederis, and Q. J. Pittman</i> | R1056 |
| 2,4,11 | Rostral ventrolateral medulla and sympathorespiratory integration in rats <i>P. G. Guyenet, R. A. Darnall, and T. Riley</i> | R1063 |

MODELING METHODOLOGY FORUM

| | | |
|-----|--|-------|
| 4,6 | Simulation of mechanoenergetics of asynchronously contracting ventricle <i>H. Suga, Y. Goto, H. Yaku, S. Futaki, Y. Ohgoshi, and O. Kawaguchi</i> | R1075 |
|-----|--|-------|

SPECIAL COMMUNICATIONS

| | | |
|------|--|-------|
| 1,10 | Different in vivo metabolic activities of suprachiasmatic nuclei of Turkish and golden hamsters <i>W. J. Schwartz</i> | R1083 |
|------|--|-------|

RAPID COMMUNICATIONS

- 1,6,9 Relationships between plasma ketones and fasting duration in neonatal elephant seals
M. A. Castellini and D. P. Costa R1086

LETTERS TO THE EDITOR

- Repeated measurement of gastric emptying in rats
M. Giner and M. M. Meguid; K. L. Conover, H. P. Weingarten, and S. M. Collins R1090

No. 6. DECEMBER 1990

CATEGORY

- 3,9 Obese and lean Zucker rats differ in preferences for sham-fed corn oil or sucrose
D. Greenberg and S. C. Weatherford R1093
- 3,9 Effect of weight cycling on susceptibility to dietary obesity
B. Graham, S. Chang, D. Lin, F. Yakubu, and J. O. Hill R1096
- 6,9,11 Metabolic differences between obesity-prone and obesity-resistant rats
S. Chang, B. Graham, F. Yakubu, D. Lin, J. C. Peters, and J. O. Hill R1103
- 1,7 *p*-Chloromercurobenzene sulfonate inhibition of active Cl⁻ transport in plasma membrane vesicles from *Aplysia* gut
G. A. Gerencser R1111
- 9 Model of spontaneous obesity in aging male Wistar rats
F. D. Newby, M. DiGirolamo, G. A. Cotsonis, and M. H. Kutner R1117
- 5,6 Fetal catecholamine responses to maternal hypoglycemia
C. M. Harwell, J. F. Padbury, R. S. Anand, A. M. Martinez, E. Ipp, S. L. Thio, and E. E. Burnell R1126
- 2,4,8 Microvascular specializations promoting rapid interstitial solute dispersion in nucleus tractus solitarius
P. M. Gross, K. M. Wall, J. J. Pang, S. W. Shaver, and D. S. Wainman R1131
- 4,7,12 Effects of compartmental fluid repletion on heat-induced limb vasodilation in dehydrated baboons
K. L. Ryan and D. W. Proppe R1139
- 5,6,9 Identification of candidate genes for a factor regulating body weight in primates
B. E. Wilson, G. E. Meyer, J. C. Cleveland, Jr., and D. S. Weigle R1148
- 4 Cardiovascular and sensory responses to forearm ischemia and dynamic hand exercise
W. Maixner, R. H. Gracely, J. R. Zuniga, C. B. Humphrey, and G. R. Bloodworth R1156
- 2,4 Alteration of baroreflex control of forearm vascular resistance by dietary fatty acids
D. E. Mills, M. Mah, R. P. Ward, B. L. Morris, and J. S. Floras R1164
- 2,4,7 Normalization of arterial pressure after barodenervation: role of pressure natriuresis
J. W. Osborn and S. K. England R1172
- 1,7,8 Lysine transport by brush-border membrane vesicles of eel intestine: interaction with neutral amino acids
S. Vilella, G. A. Ahearn, G. Cassano, M. Maffia, and C. Storelli R1181
- 10,3,12 Entrainment of circadian rhythms with 26-h bright light and sleep-wake schedules
C. I. Eastman and K.-J. Miesche R1189
- 3,5,6 Effects of diet and body fat content on cold-induced anestrus in Syrian hamsters
J. E. Schneider and G. N. Wade R1198
- 4,7 Chronic lymph flow and transcapillary fluid flux during angiotensin II hypertension
J. Valenzuela-Rendon and R. D. Manning, Jr. R1205
- Acute phase response in exercise: interaction of age and vitamin E on neutrophils and muscle enzyme release
J. G. Cannon, S. F. Orencole, R. A. Fielding, M. Meydani, S. N. Meydani, M. A. Fiatarone, J. B. Blumberg, and W. J. Evans R1214
- 1,6,12 Temperature regulation of young coypus (*Myocastor coypus*) in air and water
C. P. Doncaster, E. Dumonteil, H. Barré, and P. Jouventin R1220
- 3,9 Learning to sham feed: behavioral adjustments to loss of physiological postingestional stimuli
J. D. Davis and G. P. Smith R1228

| | | |
|-------|--|-------|
| 2,4,5 | Thermal nociception potentiates the release of ACTH and norepinephrine by blood loss <i>D. A. Bereiter, A. P. Benetti, and K. V. Thrivikraman</i> | R1236 |
| 4,5,7 | Reduced renal perfusion pressure causes prostaglandin-dependent excitation of R2 chemoreceptors in rats <i>J. D. Barber and N. G. Moss</i> | R1243 |
| 5,7 | Effect of arginine vasopressin on CSF composition and bulk flow in hyperosmolar state <i>J. Szmydynger-Chodobska, E. Szczepańska-Sadowska, and A. Chodobski</i> | R1250 |
| 1,5,7 | Basal and pentagastrin-stimulated gastric secretion in young horses <i>M. L. Campbell-Thompson and A. M. Merritt</i> | R1259 |
| 2,5,7 | Efferent mechanisms mediating renal sodium and water excretion induced by centrally administered serotonin <i>R. Montes and A. K. Johnson</i> | R1267 |
| 2,4,7 | Effect of sympathectomy on renal and circulatory action of atrial natriuretic peptide <i>D. E. Allen</i> | R1274 |

SPECIAL COMMUNICATIONS

| | | |
|---|---|-------|
| 7 | Novel determination of filtration coefficient of ovine placenta and intramembranous pathway <i>W. M. Gilbert and R. A. Brace</i> | R1281 |
|---|---|-------|

RAPID COMMUNICATIONS

| | | |
|-------|--|-------|
| 2,7,9 | Effects of portal infusion of hypertonic solution on jejunal electrolyte transport in anesthetized dogs <i>H. Morita, H. Ohyama, M. Hagüke, T. Horiba, K. Miyake, H. Yamanouchi, K. Matsushita, and H. Hosomi</i> | R1289 |
|-------|--|-------|

| | |
|-----------------------------------|-------|
| <i>Subject Index to Volume 28</i> | R1295 |
| <i>Author Index to Volume 28</i> | R1305 |

CORRIGENDA

Volume 257, August 1989
Volume 26, August 1989

Pages R456-R457: M. Mikulecký; J. Quale. "A renaissance of sulfobromophthal-ein infusion method for animal studies of hepatobiliary function?" In the Reply to the Letter to the Editor the name of Laura Mandel, who coauthored the Reply, was omitted. The authors of the Reply were John Quale and Laura Mandel.

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1990

EDITORIAL REVIEW

| | |
|--|------|
| Modulation of vasopressin antidiuretic action by renal α_2 -adrenoceptors <i>M. Gellai</i> | F1 |
| <hr/> | |
| Endothelium-derived relaxing factor influences renal vascular resistance <i>J. Radermacher, U. Förstermann, and J. C. Frölich</i> | F9 |
| Intracoronary veratrine and acute aortic stenosis modify renal responses to hypotension in conscious dogs <i>J.-S. Chen and A. J. Gorman</i> | F18 |
| Autoradiographic localization of atrial natriuretic peptide receptor subtypes in rat kidney <i>J. Brown, S. P. Salas, A. Singleton, J. M. Polak, and C. T. Dollery</i> | F26 |
| Early effects of aldosterone on Na-K pump in rat cortical collecting tubules <i>Y. Fujii, F. Takemoto, and A. I. Katz</i> | F40 |
| Double-barreled chloride channels of collecting duct basolateral membrane <i>S. C. Sansom, B.-Q. La, and S. L. Carosi</i> | F46 |
| Glutamate dehydrogenase activities in microdissected rat nephron segments: effects of acid-base loading <i>P. A. Wright and M. A. Knepper</i> | F53 |
| TGF-initiated vascular interactions between adjacent nephrons in the rat kidney <i>Ö. Källskog and D. J. Marsh</i> | F60 |
| Aldosterone induces apical vesicles in rat distal colon <i>R. D. Perrone, J. P. Nye, D. E. McBride, D. J. Zahniser, J. J. Geyer, and A. A. Ucci</i> | F65 |
| Role of angiotensin II in glomerulotubular balance <i>F.-Y. Liu and M. G. Cogan</i> | F72 |
| Mechanisms of perfused kidney cytoprotection by alanine and glycine <i>A. D. Baines, N. Shaikh, and P. Ho</i> | F80 |
| Morphological and physiological responses to aldosterone: time course and sodium dependence <i>J. B. Wade, B. A. Stanton, M. J. Field, M. Kashgarian, and G. Giebisch</i> | F88 |
| ADH modulates plasma membrane lipid order of living MDCK cells via a cAMP-dependent process <i>M.-C. Giocondi, G. Friedlander, and C. Le Grimellec</i> | F95 |
| Developmental changes of Ca^{2+} , PO_4 , and calcitriol metabolism in spontaneously hypertensive rats <i>P. Bourgoignie, P. Lucas, C. Roulet, A. Pointillart, M. Thomasset, M. Bami, L. Comte, B. Lacour, M. Garabédian, D. A. McCarron, and T. Drüeke</i> | F104 |
| Measurement of Na-K-ATPase-mediated rubidium influx in single segments of rat nephron <i>L. Cheval and A. Doucet</i> | F111 |
| Vitamin D-induced chronic hypercalcemia inhibits thick ascending limb NaCl reabsorption in vivo <i>L. N. Peterson</i> | F122 |
| Atrial natriuretic peptide receptors in renal papilla of DOCA-salt hypertensive rats <i>E. Nuglozeh, G. Gauquelin, R. Garcia, J. Tremblay, and E. L. Schiffrin</i> | F130 |
| Dopamine ₁ -receptor blockade inhibits ANP-induced phosphaturia and calciuria in rats <i>F. V. Ortola, I. Seri, S. Downes, B. M. Brenner, and B. J. Ballermann</i> | F138 |
| Differences in synergistic actions of vasopressin and deoxycorticosterone in rat and rabbit CCD <i>L. Chen, S. K. Williams, and J. A. Schafer</i> | F147 |

| | |
|--|------|
| Prostaglandin influences on afferent arteriolar responses to vasoconstrictor agonists <i>E. W. Inscho, P. K. Carmines, and L. G. Navar</i> | F157 |
| Bulk isolation of renal PCT and PST. I. Glucose-dependent metabolic differences <i>C. E. Ruegg and L. J. Mandel</i> | F164 |
| Bulk isolation of renal PCT and PST. II. Differential responses to anoxia or hypoxia <i>C. E. Ruegg and L. J. Mandel</i> | F176 |
| Characterization of the macula densa stimulus for renin secretion <i>J. N. Lorenz, H. Weihprecht, J. Schnermann, O. Skøtt, and J. P. Briggs</i> | F186 |

No. 2. AUGUST 1990

EDITORIAL REVIEW

| | |
|---|------|
| Physiology and biochemistry of vitamin D-dependent calcium binding proteins <i>M. Gross and R. Kumar</i> | F195 |
|---|------|

| | |
|---|------|
| Mechanisms of impaired insulin secretion after chronic excess of parathyroid hormone <i>A. F. Perna, G. Z. Fadda, X.-J. Zhou, and S. G. Massry</i> | F210 |
| Renal microvascular effects of endothelin <i>R. M. Edwards, W. Trizna, and E. H. Ohlstein</i> | F217 |
| In vivo microperfusion of inner medullary collecting duct in rats: effect of amiloride and ANF <i>H. Sonnenberg, U. Honrath, and D. R. Wilson</i> | F222 |
| Effect of high extracellular K ⁺ on Na-K-ATPase in cultured canine kidney cells <i>M. A. Manuli and I. S. Edelman</i> | F227 |
| Interaction of captopril and ibuprofen on glomerular and tubular function in humans <i>M. Allon, C. B. Pasque, and M. Rodriguez</i> | F233 |
| Hypertension and progressive glomerular injury caused by focal glomerular ischemia <i>P. L. Miller, H. G. Rennke, and T. W. Meyer</i> | F239 |
| Difference in the Na affinity of Na ⁺ -K ⁺ -ATPase along the rabbit nephron: modulation by K <i>C. Barlet-Bas, L. Cheval, C. Khadouri, S. Marsy, and A. Doucet</i> | F246 |
| Renal expression of IGF I in hypersomatotropic states <i>S. B. Müller, P. Rotwein, J. D. Bortz, P. J. Bechtel, V. A. Hansen, S. A. Rogers, and M. R. Hammerman</i> | F251 |
| Atrial peptide and cGMP effects on NaCl transport in inner medullary collecting duct <i>A. S. Rocha and L. H. Kudo</i> | F258 |
| Effects of mitogens and other agents on rat mesangial cell proliferation, pH, and Ca ²⁺ <i>M. B. Ganz, M. C. Perfetto, and W. F. Boron</i> | F269 |
| Role of microfilaments in maintenance of proximal tubule structural and functional integrity <i>P. S. Kellerman, R. A. F. Clark, C. A. Hoilien, S. L. Linas, and B. A. Molitoris</i> | F279 |
| Sulfate inhibits [¹⁴ C]phosphonoformic acid binding to renal brush-border membranes <i>H. S. Tenenhouse and J. Lee</i> | F286 |
| Pressor effect of endothelium-derived relaxing factor inhibition in conscious virgin and gravid rats <i>J. G. Umans, M. D. Lindheimer, and W. M. Barron</i> | F293 |
| Dopamine inhibits Na ⁺ -H ⁺ exchanger activity in renal BBMVs by stimulation of adenylate cyclase <i>C. C. Felder, T. Campbell, F. Albrecht, and P. A. Jose</i> | F297 |
| Efficacy of nifedipine to prevent systemic and renal vasoconstrictor effects of endothelin <i>P. Madeddu, X.-P. Yang, V. Anania, C. Troffa, A. Pazzola, A. Soro, P. Manunta, G. Tonolo, M. P. Demontis, M. V. Varoni, M. G. Melis, and N. Glorioso</i> | F304 |
| Endothelin in experimental congestive heart failure in the anesthetized dog <i>P. G. Caverio, W. L. Miller, D. M. Heublein, K. B. Margulies, and J. C. Burnett, Jr.</i> | F312 |

| | |
|---|------|
| PGE ₂ inhibits AVP-induced water flow in cortical collecting ducts by protein kinase C activation <i>R. L. Hébert, H. R. Jacobson, and M. D. Breyer</i> | F318 |
| Extracellular matrix regulates proliferation and phospholipid turnover in glomerular epithelial cells <i>A. V. Cybulsky, J. V. Bonventre, R. J. Quigg, L. S. Wolfe, and D. J. Salant</i> | F326 |
| Oxidative stress in isolated rat renal proximal and distal tubular cells <i>L. H. Lash and J. J. Tokarz</i> | F338 |
| Hypotonic shock activates a maxi K ⁺ channel in primary cultured proximal tubule cells <i>L. Dubé, L. Parent, and R. Sawé</i> | F348 |
| PCO ₂ in renal cortex <i>M. De Mello Aires, M. J. Lopes, and G. Malnic</i> | F357 |
| High proton flux through membranes containing antidiuretic hormone water channels <i>H. W. Harris, Jr., D. Kikeri, A. Janoshazi, A. K. Solomon, and M. L. Zeidel</i> | F366 |
| Exaggerated renal vascular reactivity to angiotensin and thromboxane in young genetically hypertensive rats <i>C. Chatziantoniou, F. H. Daniels, and W. J. Arendshorst</i> | F372 |

RAPID COMMUNICATIONS

| | |
|---|------|
| Expression of the Na ⁺ -K ⁺ -2Cl ⁻ cotransporter in <i>Xenopus</i> oocytes <i>C. E. Burnham, J. Kidd, and H. C. Palfrey</i> | F383 |
| Inhibition by (D-Trp) ¹² , Tyr ³⁴ bPTH(7-34)amide of PTH and PTHrP effects on P _i transport in renal cells <i>L. Pizurki, R. Rizzoli, and J.-P. Bonjour</i> | F389 |

No. 3. SEPTEMBER 1990

EDITORIAL REVIEW

| | |
|---|------|
| The vasopressin-regulated urea transporter in renal inner medullary collecting duct <i>M. A. Knepper and R. A. Star</i> | F393 |
| Contribution of luminal ammoniogenesis to proximal tubule ammonia appearance in the rat <i>E. E. Simon, C. Merli, J. Herndon, and L. L. Hamm</i> | F402 |
| Effects of PTH, calcitonin, and cAMP on calcium transport in rabbit distal nephron segments <i>T. Shimizu, K. Yoshitomi, M. Nakamura, and M. Imai</i> | F408 |
| Endogenous natriuretic peptides: effect on collecting duct function in rat kidney <i>P. Schulz-Knappe, U. Honrath, W. G. Forssmann, and H. Sonnenberg</i> | F415 |
| Cyclooxygenase inhibition enhances rat interleukin 1β-induced growth of rat mesangial cells in culture <i>R. A. K. Stahl, F. Thaiss, U. Haberstroh, S. Kahf, A. Shaw, and W. Schoeppe</i> | F419 |
| Inhibitory effect of phorbol ester on sodium transport in frog urinary bladder <i>T. Satoh and H. Endou</i> | F425 |
| Phosphorus restriction reverses hyperparathyroidism in uremia independent of changes in calcium and calcitriol <i>S. Lopez-Hilker, A. S. Dusso, N. S. Rapp, K. J. Martin, and E. Slatopolsky</i> | F432 |
| Epidermal growth factor accelerates renal repair in mercuric chloride nephrotoxicity <i>T. M. Coimbra, D. A. Cieslinski, and H. D. Humes</i> | F438 |
| Downregulation of parathyroid hormone receptors in renal membranes from aged rats <i>H. Hanai, D. P. Brennan, L. Cheng, M. E. Goldman, M. Chorev, M. A. Levine, B. Sacktor, and C. T. Liang</i> | F444 |
| Effects of intracellular calcium on proximal bicarbonate absorption <i>F.-Y. Liu and M. G. Cogan</i> | F451 |
| Acidification mechanisms on the basolateral membrane of renal vesicles from the developing nephron <i>M. Baum</i> | F458 |

| | |
|---|------|
| Neurogenic control of pressure natriuresis in conscious dogs <i>H. Ehmke, P. B. Persson, M. Seyfarth, and H. R. Kirchheim</i> | F466 |
| Growth hormone stimulates IGF I gene expression in isolated rat renal collecting duct <i>S. A. Rogers, S. B. Müller, and M. R. Hammerman</i> | F474 |
| Differential Na fluxes with artificial and native fluids in clip models of volume expansion <i>S. Reddy, C. Cochineas, and Á. Z. Györy</i> | F480 |
| Stimulation of transient elevations in cytosolic Ca^{2+} is related to inhibition of P_i transport in OK cells <i>A. Miyauchi, V. Dobre, M. Rickmeyer, J. Cole, L. Forte, and K. A. Hruska</i> | F485 |
| Regulation of small-conductance K^+ channel in apical membrane of rat cortical collecting tubule <i>W. Wang, A. Schwab, and G. Giebisch</i> | F494 |
| Monoaminergic innervation of the rat kidney: a quantitative study <i>L. Barajas and K. Powers</i> | F503 |
| Regional localization of renal $\text{Na}^+\text{-H}^+$ antiporter: response to respiratory acidosis <i>O. S. Ruiz, Z. Talor, and J. A. L. Arruda</i> | F512 |
| Thiazide-sensitive NaCl absorption in rat cortical collecting duct <i>Y. Terada and M. A. Knepper</i> | F519 |

RAPID COMMUNICATIONS

| | |
|--|------|
| Tubuloglomerular feedback kinetics in spontaneously hypertensive and Wistar-Kyoto rats <i>F. H. Daniels and W. J. Arendshorst</i> | F529 |
| Effects of ANF on cGMP synthesis in inner medullary collecting duct subsegments of rats <i>K. Ujiie, H. Nonoguchi, K. Tomita, and F. Marumo</i> | F535 |

No. 4. OCTOBER 1990

| | |
|--|------|
| Stimulation of renin secretion by ethacrynic acid is independent of $\text{Na}^+\text{-K}^+\text{-2Cl}^-$ cotransport <i>C. S. Park, P. S. Doh, R. E. Carraway, G. G. Chung, J. C. S. Fray, and T. B. Miller</i> | F539 |
| Glomerular response to hyperglycemia in human diabetic nephropathy <i>A. Remuzzi, G. Viberti, P. Ruggenenti, C. Battaglia, R. Pagni, and G. Remuzzi</i> | F545 |
| Segmental distribution of epidermal growth factor binding sites in rabbit nephron <i>M. D. Breyer, R. Redha, and J. A. Breyer</i> | F553 |
| Bilitranslocase localization and function in basolateral plasma membrane of renal proximal tubule in rat <i>M. M. Elias, G. C. Lunazzi, S. Passamonti, B. Gazzin, M. Miccio, G. Stanta, G. L. Sottocasa, and C. Tiribelli</i> | F559 |
| Restoration of tubuloglomerular feedback in volume-expanded rats by angiotensin II <i>J. Schnermann and J. P. Briggs</i> | F565 |
| Renal responses to lower body negative pressure in humans <i>B. Tidgren, P. Hjerdahl, E. Theodorsson, and J. Nussberger</i> | F573 |
| Glucose absorption by isolated perfused rat proximal straight tubules <i>J. L. Garvin</i> | F580 |
| Pathways for apical and basolateral membrane NH_3 and NH_4^+ movement in rat proximal tubule <i>P. A. Preisig and R. J. Alpern</i> | F587 |
| Relative osmotic effects of raffinose, KCl, and NaCl across basolateral cell membrane <i>L. W. Welling, D. J. Welling, and T. Ochs</i> | F594 |
| Effects of nifedipine and enalapril on glomerular injury in rats with deoxycorticosterone-salt hypertension <i>L. D. Dworkin, R. I. Levin, J. A. Benstein, M. Parker, M. E. Ullian, Y. Kim, and H. D. Feiner</i> | F598 |

| | |
|--|------|
| Sodium and calcium share the electrogenic 2 Na ⁺ -1 H ⁺ antiporter in crustacean antennal glands <i>G. A. Ahearn and P. Franco</i> | F758 |
| Angiotensin II induces cellular hypertrophy in cultured murine proximal tubular cells <i>G. Wolf and E. G. Neilson</i> | F768 |
| Ion concentrations in the rat CCD: differences between cell types and effect of alkalosis <i>J. D. Gifford, J. H. Galla, R. G. Luke, and R. Rick</i> | F778 |
| Extracellular matrix receptors in the kidney cortex <i>E. E. Simon and J. A. McDonald</i> | F783 |
| Evidence that dopamine-2 mechanisms control renal function <i>H. M. Siragy, R. A. Felder, N. L. Howell, R. L. Chevalier, M. J. Peach, and R. M. Carey</i> | F793 |
| Maturation of HCO ₃ ⁻ transport in rabbit collecting duct <i>F. M. Mehrgut, L. M. Satlin, and G. J. Schwartz</i> | F801 |
| Leukotrienes stimulate neutrophil adhesion to mesangial cells: modulation with lipoxins <i>H. R. Brady, U. Persson, B. J. Ballermann, B. M. Brenner, and C. N. Serhan</i> | F809 |
| 12-HETE modulates Na-coupled uptakes in proximal tubular cells: role of diacylglycerol kinase inhibition <i>G. Friedlander, C. Le Grimellec, J. Sraer, and C. Amiel</i> | F816 |
| cAMP mediates the increase in apical membrane Na ⁺ conductance produced in rat CCD by vasopressin <i>J. A. Schafer and S. L. Troutman</i> | F823 |
| Urodilatin, a natriuretic factor from kidneys, can modify renal and cardiovascular function in men <i>H. Saxenhofer, A. Raselli, P. Weidmann, W.-G. Forssmann, A. Bub, P. Ferrari, and S. G. Shaw</i> | F832 |
| Reduction of cerebral NaCl concentration can abolish mineralocorticoid escape <i>G. L. Pennington and M. J. McKinley</i> | F839 |
| Factors affecting the ratio of different organic osmolytes in renal medullary cells <i>T. Moriyama, A. Garcia-Perez, and M. B. Burg</i> | F847 |

SPECIAL COMMUNICATIONS

| | |
|---|------|
| Bladder contributes to eicosanoids excreted in urine <i>A. A. Reyes and S. Klahr</i> | F859 |
|---|------|

No. 6. DECEMBER 1990

| | |
|--|------|
| Effect of acute pH change on mitochondrial glutamine transport <i>M. Sasivasinh and S. Sastrasinh</i> | F863 |
| Identification of a putative Na ⁺ -H ⁺ exchanger regulatory cofactor in rabbit renal BBM <i>G. Morell, D. Steplock, S. Shenolikar, and E. J. Weinman</i> | F867 |
| Oxytocin receptors in rat kidney during development <i>A. Schmidt, S. Jard, J. J. Dreifuss, and E. Tribollet</i> | F872 |
| Angiotensin II regulates renin gene expression <i>D. W. Johns, M. J. Peach, R. A. Gomez, T. Inagami, and R. M. Carey</i> | F882 |
| Electrical properties of smooth muscle cell membrane in renal pelvis of rabbits <i>N. Seki and H. Suzuki</i> | F888 |
| Postnatal development of oxidative enzymes in various rat nephron segments: effect of weaning on different diets <i>J. Bastin, F. Djouadi, J. P. Geloso, and C. Merlet-Benichou</i> | F895 |
| Cell pH regulation in rabbit outer medullary collecting duct cells: mechanisms of HCL ₃ ⁻ -independent processes <i>M. Kuwahara, S. Sasaki, and F. Marumo</i> | F902 |
| Evidence for a preglomerular oxygen diffusion shunt in rat renal cortex <i>H. J. Schurek, U. Jost, H. Baumgärtl, H. Bertram, and U. Heckmann</i> | F910 |
| Localization of arginine synthesis along rat nephron <i>O. Levillain, A. Hus-Citharel, F. Morel, and L. Bankir</i> | F916 |

| | |
|---|-------|
| Inhibition of proximal tubule $\text{Na}^+\text{-K}^+\text{-ATPase}$ activity requires simultaneous activation of DA receptors <i>A. Bertorello and A. Aperia</i> | F924 |
| Effect of transforming growth factor- α and parathyroid hormone-related protein on phosphate transport in renal cells <i>L. Pizurki, R. Rizzoli, J. Caverzasio, and J.-P. Bonjour</i> | F929 |
| Effects of atrial natriuretic peptide on renal arterioles: morphometric analysis using microvascular casts <i>K. Kimura, Y. Hirata, S. Nanba, A. Tojo, H. Matsuoka, and T. Sugimoto</i> | F936 |
| Renal effects of moderate hemorrhage in the conscious pregnant rat <i>C. Baylis, C. Brango, and K. Engels</i> | F945 |
| Dihydropyridine-sensitive volume regulation in proximal tubule: the calcium window <i>N. A. McCarty and R. G. O'Neil</i> | F950 |
| Phosphate-dependent glutaminase activity in rat renal cortical and medullary tubule segments <i>P. A. Wright and M. A. Knepper</i> | F961 |
| Ontogeny of DA, receptor-adenylate cyclase coupling in proximal convoluted tubules <i>S. Kinoshita and R. A. Felder</i> | F971 |
| α_2 -Adrenergic receptors regulate $\text{Na}^+\text{-H}^+$ exchange via a cAMP-dependent mechanism <i>J. D. Clark, E. J. Cragoe, Jr., and L. E. Limbird</i> | F977 |
| Water permeability of apical and basolateral cell membranes of rat inner medullary collecting duct <i>B. Flamion and K. R. Spring</i> | F986 |
| ANNOUNCEMENTS | F1000 |
| <i>Subject Index to Volume 28</i> | F1001 |
| <i>Author Index to Volume 28</i> | F1009 |

CORRIGENDA

Volume 258, May 1990
Volume 27, May 1990

Pages 1401-1408: Daniel R. Martin, Joe B. Pevahouse, David J. Trigg, David L. Vesely, and John E. Buerkert. "Three peptides from the ANF prohormone NH_2 -terminus are natriuretic and/or kaliuretic." Pages 1404 and 1406, Tables 2 and 3, respectively: in the boxhead, the units for $\text{U}_{\text{Na}}\text{V}$ should be $\mu\text{eq}\cdot\text{min}^{-1}\cdot\text{g kidney wt}^{-1}$.

Advances in Physiology Education

No. 1. DECEMBER 1990

| | |
|---|-----|
| A problem-solving approach to teaching electrochemical driving force to undergraduates <i>W. F. Nolan</i> | S1 |
| Hands-on laboratory experience in teaching-learning physiology <i>W. C. Randall and T. Burkholder</i> | S4 |
| Lectures in physiology: a three-phase evaluation plan <i>C. P. Casteel, N. A. Mortillaro, and A. E. Taylor</i> | S8 |
| A comparison of interactive videodisc instruction with live animal laboratories <i>A. L. Fawver, C. E. Branch, L. Trentham, B. T. Robertson, and S. D. Beckett</i> | S11 |
| Membrane potential simulation program for IBM-PC-compatible equipment for physiology and biology students <i>P. H. Barry</i> | S15 |

ABSTRACTS FROM CURRENT LITERATURE

| | |
|---|-----|
| What's happening in education? <i>H. I. Modell</i> | S24 |
|---|-----|

